

Table 1: Direct experimental measurements of $\phi_s^{c\bar{c}s}$, $\Delta\Gamma_s$ and Γ_s using $B_s^0 \rightarrow J/\psi\phi$, $J/\psi K^+K^-$, $\psi(2S)\phi$, $J/\psi\pi^+\pi^-$ and $D_s^+D_s^-$ decays. The first error is due to statistics, the second one to systematics. The last (last but one) line gives our averages, where the $\Delta\Gamma_s$ uncertainties have been multiplied by 1.78 (1.72) to account for inconsistencies between the $B_s^0 \rightarrow J/\psi\phi$ measurements. Only solution (a) of Ref. [1] is used.

Exp.	Mode	Dataset	$\phi_s^{c\bar{c}s}$	$\Delta\Gamma_s$ (ps ⁻¹)	Ref.
CDF	$J/\psi\phi$	9.6 fb ⁻¹	$[-0.60, +0.12]$, 68% CL	$+0.068 \pm 0.026 \pm 0.009$	[2]
D0	$J/\psi\phi$	8.0 fb ⁻¹	$-0.55_{-0.36}^{+0.38}$	$+0.163_{-0.064}^{+0.065}$	[3]
ATLAS	$J/\psi\phi$	4.9 fb ⁻¹	$+0.12 \pm 0.25 \pm 0.05$	$+0.053 \pm 0.021 \pm 0.010$	[4]
ATLAS	$J/\psi\phi$	14.3 fb ⁻¹	$-0.110 \pm 0.082 \pm 0.042$	$+0.101 \pm 0.013 \pm 0.007$	[5]
ATLAS	$J/\psi\phi$	80.5 fb ⁻¹	$-0.081 \pm 0.041 \pm 0.022$	$+0.0607 \pm 0.0047 \pm 0.0043$	[1]
ATLAS	above 3 combined		$-0.087 \pm 0.036 \pm 0.021$	$+0.0657 \pm 0.0043 \pm 0.0037$	[1]
CMS	$J/\psi\phi$	19.7 fb ⁻¹	$-0.075 \pm 0.097 \pm 0.031$	$+0.095 \pm 0.013 \pm 0.007$	[6]
CMS	$J/\psi\phi$	96.4 fb ⁻¹	$-0.011 \pm 0.050 \pm 0.010$	$+0.114 \pm 0.0014 \pm 0.0007$	[7]
CMS	above 2 combined		$-0.021 \pm 0.044 \pm 0.010$	$+0.1032 \pm 0.0095 \pm 0.0048$	[7]
LHCb	$J/\psi\phi$	3.0 fb ⁻¹	$-0.058 \pm 0.049 \pm 0.006$	$+0.0805 \pm 0.0091 \pm 0.0032$	[8]
LHCb	$J/\psi\pi^+\pi^-$	3.0 fb ⁻¹	$+0.070 \pm 0.068 \pm 0.008$	—	[9]
LHCb	$J/\psi K^+K^-$ ^a	3.0 fb ⁻¹	$+0.119 \pm 0.107 \pm 0.034$	$+0.066 \pm 0.018 \pm 0.010$	[10]
LHCb	$\psi(2S)\phi$	3.0 fb ⁻¹	$+0.23_{-0.28}^{+0.29} \pm 0.02$	$+0.066_{-0.44}^{+0.41} \pm 0.007$	[11]
LHCb	$D_s^+D_s^-$	3.0 fb ⁻¹	$+0.02 \pm 0.17 \pm 0.02$	—	[12]
LHCb	$J/\psi\pi^+\pi^-$	1.9 fb ⁻¹ ^b	$-0.057 \pm 0.060 \pm 0.011$	—	[?]
LHCb	$J/\psi\phi$	1.9 fb ⁻¹ ^b	$-0.083 \pm 0.041 \pm 0.006$	$+0.077 \pm 0.008 \pm 0.003$	[13]
LHCb	above 7 combined		-0.042 ± 0.025	$+0.0813 \pm 0.0048$	[13]
LHCb	$J/\psi\phi^c$	3.0 fb ⁻¹	$+0.00 \pm 0.28 \pm 0.07$	$+0.115 \pm 0.045 \pm 0.011$	[14]
$B_s^0 \rightarrow J/\psi\phi$ combined			-0.070 ± 0.022	$+0.074 \pm 0.006$	
All combined			-0.049 ± 0.019	$+0.077 \pm 0.006$	

^a $m(K^+K^-) > 1.05$ GeV/ c^2 ^b Run 2 ^c $J/\psi \rightarrow e^+e^-$

References

- [1] G. Aad *et al.* (ATLAS collaboration), Eur. Phys. J. **C81**, 342 (2021), arXiv:2001.07115 [hep-ex].
- [2] T. Aaltonen *et al.* (CDF collaboration), Phys. Rev. Lett. **109**, 171802 (2012), arXiv:1208.2967 [hep-ex]; this replaces T. Aaltonen *et al.* (CDF collaboration), Phys. Rev. **D85**, 072002 (2012), arXiv:1112.1726 [hep-ex]; as well as T. Aaltonen *et al.* (CDF collaboration), Phys. Rev. Lett. **100**, 161802 (2008), arXiv:0712.2397 [hep-ex]; and T. Aaltonen *et al.* (CDF collaboration), Phys. Rev. Lett. **100**, 121803 (2008), arXiv:0712.2348 [hep-ex], and the results of Ref. [15].
- [3] V. M. Abazov *et al.* (D0 collaboration), Phys. Rev. **D85**, 032006 (2012), arXiv:1109.3166 [hep-ex]; this replaces Ref. [16] and V. M. Abazov *et al.* (D0 collaboration), Phys. Rev. Lett. **101**, 241801 (2008), arXiv:0802.2255 [hep-ex]; as

- well as V. M. Abazov *et al.* (D0 collaboration), Phys. Rev. Lett. **98**, 121801 (2007), arXiv:hep-ex/0701012 [hep-ex].
- [4] G. Aad *et al.* (ATLAS collaboration), Phys. Rev. **D90**, 052007 (2014), arXiv:1407.1796 [hep-ex]; this replaces G. Aad *et al.* (ATLAS collaboration), JHEP **12**, 072 (2012), arXiv:1208.0572 [hep-ex].
- [5] G. Aad *et al.* (ATLAS collaboration), JHEP **08**, 147 (2016), arXiv:1601.03297 [hep-ex].
- [6] V. Khachatryan *et al.* (CMS collaboration), Phys. Lett. **B757**, 97 (2016), arXiv:1507.07527 [hep-ex].
- [7] A. M. Sirunyan *et al.* (CMS collaboration), Phys. Lett. **B816**, 136188 (2021), arXiv:2007.02434 [hep-ex].
- [8] R. Aaij *et al.* (LHCb collaboration), Phys. Rev. Lett. **114**, 041801 (2015), arXiv:1411.3104 [hep-ex]; this replaces any $B_s^0 \rightarrow J/\psi K^+ K^-$, $B_s^0 \rightarrow J/\psi \phi$ or combined $\phi_s^{c\bar{c}s}$ result from Ref. [17].
- [9] R. Aaij *et al.* (LHCb collaboration), Phys. Lett. **B736**, 186 (2014), arXiv:1405.4140 [hep-ex]; this replaces any $B_s^0 \rightarrow J/\psi \pi^+ \pi^-$ or $B_s^0 \rightarrow J/\psi f_0(980)$ result on CP violation from Ref. [17].
- [10] R. Aaij *et al.* (LHCb collaboration), JHEP **08**, 037 (2017), arXiv:1704.08217 [hep-ex]; this replaces the results obtained with $B_s^0 \rightarrow J/\psi K^+ K^-$ in the $K^+ K^-$ mass region above $1.05 \text{ GeV}/c^2$, as well as the $B_s^0 \rightarrow J/\psi K^+ K^-$ and $B_s^0 \rightarrow J/\psi \pi^+ \pi^-$ combined results from Ref. [8].
- [11] R. Aaij *et al.* (LHCb collaboration), Phys. Lett. **B762**, 253 (2016), arXiv:1608.04855 [hep-ex].
- [12] R. Aaij *et al.* (LHCb collaboration), Phys. Rev. Lett. **113**, 211801 (2014), arXiv:1409.4619 [hep-ex].
- [13] R. Aaij *et al.* (LHCb collaboration), Eur. Phys. J. C **79**, no. 8, 706 (2019), arXiv:1906.08356 [hep-ex], [Erratum: Eur. Phys. J. C80, 601 (2020)].
- [14] R. Aaij *et al.* (LHCb collaboration), Eur. Phys. J. **C81**, 1026 (2021), arXiv:2105.14738 [hep-ex].
- [15] D. Acosta *et al.* (CDF collaboration), Phys. Rev. Lett. **94**, 101803 (2005), arXiv:hep-ex/0412057.
- [16] V. M. Abazov *et al.* (D0 collaboration), Phys. Rev. Lett. **102**, 032001 (2009), arXiv:0810.0037 [hep-ex].
- [17] R. Aaij *et al.* (LHCb collaboration), Phys. Rev. **D87**, 112010 (2013), arXiv:1304.2600 [hep-ex]; this supersedes the following publications, R. Aaij *et al.* (LHCb collaboration), Phys. Rev. Lett. **108**, 101803 (2012), arXiv:1112.3183 [hep-ex]; R. Aaij *et al.* (LHCb

collaboration), Phys. Lett. **B713**, 378 (2012), [arXiv:1204.5675 \[hep-ex\]](#); R. Aaij *et al.* (LHCb collaboration), Phys. Lett. **B707**, 497 (2012), [arXiv:1112.3056 \[hep-ex\]](#); this also replaces the $B_s^0 \rightarrow J/\psi f_0(980)$ result of R. Aaij *et al.* (LHCb collaboration), Phys. Rev. Lett. **109**, 152002 (2012), [arXiv:1207.0878 \[hep-ex\]](#).