

Heavy Flavor Averaging group (HFLAV) - November 2016
 Compilation of B^+ Semi-leptonic and Radiative Branching Fractions ($\times 10^{-6}$) - UL at 90% CL
 In PDG2014 **New since PDG2014 (preliminary)** **New since PDG2014 (published)**

RPP#	Mode	PDG2014 Avg.	BABAR	Belle	CLEO	LHCb	Our Avg.
363	$K^{*+}\gamma$	42.1 ± 1.8	$42.2 \pm 1.4 \pm 1.6$ [1]	$42.5 \pm 3.1 \pm 2.4$ [2]	$37.6^{+8.9}_{-8.3} \pm 2.8$ [3]		42.1 ± 1.8
364	$K_1^+(1270)\gamma$	43 ± 13	$44.1^{+6.3}_{-4.4} \pm 5.8$ † [4]	$43 \pm 9 \pm 9$ [5]			$43.8^{+7.1}_{-6.3}$
365	$K^+\eta\gamma$	7.9 ± 0.9	$7.7 \pm 1.0 \pm 0.4$ [6]	$8.4^{+1.5}_{-1.2} \pm 0.9$ [7]			7.9 ± 0.9
366	$K^+\eta'\gamma$	$2.9^{+1.0}_{-0.9}$	$1.9^{+1.5}_{-1.2} \pm 0.1$ [8]	$3.6 \pm 1.2 \pm 0.4$ [9]			$2.9^{+1.0}_{-0.9}$
367	$K^+\phi\gamma$	2.7 ± 0.4	$3.5 \pm 0.6 \pm 0.4$ [10]	$2.48 \pm 0.30 \pm 0.24$ [11]			2.71 ± 0.34
368	$K^+\pi^-\pi^+\gamma$	27.6 ± 2.2	$24.5 \pm 0.9 \pm 1.2$ † [4]	$25.0 \pm 1.8 \pm 2.2$ † [5]			24.6 ± 1.3
369	$K^{*0}\pi^+\gamma$ §	20^{+7}_{-6}	$23.4 \pm 0.9^{+0.8}_{-0.7}$ † [4]	$20^{+7}_{-6} \pm 2$ [12]			$23.3^{+1.2}_{-2.2}$
370	$K^+\rho^0\gamma$ §	< 20	$8.2 \pm 0.4 \pm 0.8$ † [4]	< 20 [12]			8.2 ± 0.9
	$(K\pi)_0^0\pi^+\gamma$		$10.3^{+0.7+1.5}_{-0.8-2.0}$ † [4]				$10.3^{+1.7}_{-2.2}$
371	$K^+\pi^-\pi^+\gamma$ (N.R.) §	< 9.2	$9.9 \pm 0.7^{+1.5}_{-1.9}$ † [4]	< 9.2 [12]			$9.9^{+1.7}_{-2.0}$
	$K_0^*(1430)\pi^+\gamma$		$1.32^{+0.09+0.24}_{-0.10-0.30}$ † [4]				$1.32^{+0.26}_{-0.32}$
372	$K^0\pi^+\pi^0\gamma$	46 ± 5	$45.6 \pm 4.2 \pm 3.1$ † [13]				45.6 ± 5.2
373	$K_1^+(1400)\gamma$	< 15	$9.7^{+4.6+2.9}_{-2.9-2.4}$ † [4]	< 15 [5]			$9.7^{+5.4}_{-3.8}$
	$K^{*+}(1410)\gamma$		$27.1^{+5.4+5.9}_{-4.8-3.7}$ † [4]				$27.1^{+8.0}_{-6.1}$
374	$K_2^*(1430)^+\gamma$	14 ± 4	$8.7^{+7.0+8.7}_{-5.3-10.4}$ † [4]				$8.7^{+11.2}_{-11.7}$
375	$K^{*+}(1680)\gamma$	< 1900	$66.7^{+9.3+14.4}_{-7.8-11.4}$ † [4]				$66.7^{+17.1}_{-13.8}$
376	$K_3^*(1780)^+\gamma$	< 39		< 39 [7]			< 39
378	$\rho^+\gamma$	0.98 ± 0.25	$1.20^{+0.42}_{-0.37} \pm 0.20$ [14]	$0.87^{+0.29+0.09}_{-0.27-0.11}$ [15]			$0.98^{+0.25}_{-0.24}$
428	$\bar{p}\bar{\Lambda}\gamma$	$2.4^{+0.5}_{-0.4}$		$2.45^{+0.44}_{-0.38} \pm 0.22$ [16]			$2.45^{+0.49}_{-0.44}$
432	$p\bar{\Sigma}^0\gamma$	< 4.6		< 4.6 [17]			< 4.6
467	$\pi^+\ell^+\ell^-$	< 0.049	< 0.066 [18]	< 0.049 [19]			< 0.049
468	$\pi^+e^+e^-$	< 0.080	< 0.125 [18]	< 0.080 [19]			< 0.080
469	$\pi^+\mu^+\mu^-$	< 0.055	< 0.055 [18]	< 0.069 [19]		$0.0183 \pm 0.0024 \pm 0.0005$ ¹ [20]	0.0180 ± 0.0020
470	$\pi^+\nu\bar{\nu}$	< 98	< 100 [21]	< 98 [22]			< 98
471	$K^+\ell^+\ell^-$	0.451 ± 0.023	$0.48 \pm 0.09 \pm 0.02$ [23]	$0.53^{+0.06}_{-0.05} \pm 0.03$ [24]			0.51 ± 0.05
472	$K^+e^+e^-$	0.55 ± 0.07	$0.51^{+0.12}_{-0.12} \pm 0.02$ [23]	$0.57^{+0.09}_{-0.08} \pm 0.03$ [24]			0.55 ± 0.07
473	$K^+\mu^+\mu^-$	0.449 ± 0.023	$0.41^{+0.16}_{-0.15} \pm 0.02$ [23]	$0.53 \pm 0.08^{+0.07}_{-0.03}$ [24]		$0.429 \pm 0.007 \pm 0.021$ [25]	0.435 ± 0.021
	$K^+\tau^+\tau^-$		< 2250 [26]				< 2250
476	$K^+\nu\bar{\nu}$	< 16	< 16 [27]	< 55 [22]			< 16
477	$\rho^+\nu\bar{\nu}$	< 213		< 213 [22]			< 213
478	$K^{*+}\ell^+\ell^-$	1.29 ± 0.21	$1.40^{+0.40}_{-0.37} \pm 0.09$ [23]	$1.24^{+0.23}_{-0.21} \pm 0.13$ [24]			$1.29^{+0.22}_{-0.21}$
479	$K^{*+}e^+e^-$	$1.55^{+0.40}_{-0.31}$	$1.38^{+0.47}_{-0.42} \pm 0.08$ [23]	$1.73^{+0.50}_{-0.42} \pm 0.20$ [24]			$1.55^{+0.35}_{-0.32}$
480	$K^{*+}\mu^+\mu^-$	1.12 ± 0.15	$1.46^{+0.79}_{-0.75} \pm 0.12$ [23]	$1.11^{+0.32}_{-0.27} \pm 0.10$ [24]		$0.924 \pm 0.093 \pm 0.067$ [28]	$0.958^{+0.107}_{-0.104}$
481	$K^{*+}\nu\bar{\nu}$	< 40	< 64 [27]	< 40 [22]			< 40
	$K^+\pi^+\pi^-\mu^+\mu^-$					$0.436^{+0.029}_{-0.027} \pm 0.028$ ² [29]	$0.436^{+0.040}_{-0.039}$
	$K^+\phi\mu^+\mu^-$					$0.082^{+0.019+0.029}_{-0.017-0.027}$ [29]	$0.082^{+0.035}_{-0.032}$

Results for LHCb are relative BF's converted to absolute BF's.

CLEO upper limits that have been greatly superseded are not shown.

† $M_{K\pi\pi} < 1.8$ GeV/ c^2 .

‡ $1.0 < M_{K\pi\pi} < 2.0$ GeV/ c^2 .

§ $M_{K\pi\pi} < 2.4$ GeV/ c^2 .

¹ PDG2014 cites only the measurement: $\mathcal{B}(\pi^+\mu^+\mu^-)/\mathcal{B}(K^+\mu^+\mu^-) = 0.053 \pm 0.014 \pm 0.01$.

² Differential BF in bins of $m(\mu^+\mu^-)$ is also available.

Heavy Flavor Averaging group (HFLAV) - November 2016
 Compilation of B^0 Semi-leptonic and Radiative Branching Fractions ($\times 10^{-6}$) - UL at 90% CL
 In PDG2014 New since PDG2014 (preliminary) New since PDG2014 (published)

RPP#	Mode	PDG2014 Avg.	BABAR	Belle	CLEO	LHCb	Our Avg.
336	$K^0 \eta \gamma$	7.6 ± 1.8	$7.1^{+2.1}_{-2.0} \pm 0.4$ [6]	$8.7^{+3.1+1.9}_{-2.7-1.6}$ [7]			$7.6^{+1.8}_{-1.7}$
337	$K^0 \eta' \gamma$	< 6.4	< 6.6 [8]	< 6.4 [9]			< 6.4
338	$K^0 \phi \gamma$	2.7 ± 0.7	< 2.7 [10]	$2.74 \pm 0.60 \pm 0.32$ [11]			2.74 ± 0.68
339	$K^+ \pi^- \gamma$ §	4.6 ± 1.4		$4.6^{+1.3+0.5}_{-1.2-0.7}$ [12]			4.6 ± 1.4
340	$K^{*0} \gamma$	43.3 ± 1.5	$44.7 \pm 1.0 \pm 1.6$ [1]	$40.1 \pm 2.1 \pm 1.7$ [2]	$45.5^{+7.2}_{-6.8} \pm 3.4$ [3]		43.3 ± 1.5
341	$K^*(1410)^0 \gamma$	< 130		< 130 [12]			< 130
342	$K^+ \pi^- \gamma$ (N.R.) §	< 2.6		< 2.6 [12]			< 2.6
344	$K^0 \pi^+ \pi^- \gamma$	19.5 ± 2.2	$18.5 \pm 2.1 \pm 1.2$ † [13]	$24 \pm 4 \pm 3$ ‡ [5]			19.5 ± 2.2
345	$K^+ \pi^- \pi^0 \gamma$	41 ± 4	$40.7 \pm 2.2 \pm 3.1$ † [13]				40.7 ± 3.8
346	$K_1^0(1270) \gamma$	< 58		< 58 [5]			< 58
347	$K_1^0(1400) \gamma$	< 12		< 12 [5]			< 12
348	$K_2^*(1430)^0 \gamma$	12.4 ± 2.4	$12.2 \pm 2.5 \pm 1.0$ [30]	$13 \pm 5 \pm 1$ [12]			12.4 ± 2.4
350	$K_3^*(1780)^0 \gamma$	< 83		< 83 [7]			< 83
352	$\rho^0 \gamma$	0.86 ± 0.15	$0.97^{+0.24}_{-0.22} \pm 0.06$ [14]	$0.78^{+0.17+0.09}_{-0.16-0.10}$ [15]			$0.86^{+0.15}_{-0.14}$
354	$\omega \gamma$	$0.44^{+0.18}_{-0.16}$	$0.50^{+0.27}_{-0.23} \pm 0.09$ [14]	$0.40^{+0.19}_{-0.17} \pm 0.13$ [15]			$0.44^{+0.18}_{-0.16}$
355	$\phi \gamma$	< 0.85	< 0.85 [31]	< 0.1 [32]			< 0.1
	$p \Lambda \pi^- \gamma$			< 0.65 [33]			< 0.65
465	$\pi^0 \ell^+ \ell^-$	< 0.053	< 0.053 [18]	< 0.154 [19]			< 0.053
466	$\pi^0 e^+ e^-$	< 0.084	< 0.084 [18]	< 0.227 [19]			< 0.084
467	$\pi^0 \mu^+ \mu^-$	< 0.069	< 0.069 [18]	< 0.184 [19]			< 0.069
468	$\eta \ell^+ \ell^-$	< 0.064	< 0.064 [18]				< 0.064
469	$\eta e^+ e^-$	< 0.108	< 0.108 [18]				< 0.108
470	$\eta \mu^+ \mu^-$	< 0.112	< 0.112 [18]				< 0.112
471	$\pi^0 \nu \bar{\nu}$	< 69		< 69 [22]			< 69
472	$K^0 \ell^+ \ell^-$	$0.31^{+0.08}_{-0.07}$	$0.21^{+0.15}_{-0.13} \pm 0.02$ [23]	$0.34^{+0.09}_{-0.08} \pm 0.02$ [24]			$0.31^{+0.08}_{-0.07}$
473	$K^0 e^+ e^-$	$0.16^{+0.10}_{-0.08}$	$0.08^{+0.15}_{-0.12} \pm 0.01$ [23]	$0.20^{+0.14}_{-0.10} \pm 0.01$ [24]			$0.16^{+0.10}_{-0.08}$
474	$K^0 \mu^+ \mu^-$	0.34 ± 0.05	$0.49^{+0.29}_{-0.25} \pm 0.03$ [23]	$0.44^{+0.13}_{-0.10} \pm 0.03$ [24]		$0.327 \pm 0.034 \pm 0.017$ [28]	$0.343^{+0.036}_{-0.035}$
475	$K^0 \nu \bar{\nu}$	< 49	< 49 [27]	< 194 [22]			< 49
476	$\rho^0 \nu \bar{\nu}$	< 208		< 208 [22]			< 208
477	$K^{*0} \ell^+ \ell^-$	$0.99^{+0.12}_{-0.11}$	$1.03^{+0.22}_{-0.21} \pm 0.07$ [23]	$0.97^{+0.13}_{-0.11} \pm 0.07$ [24]			$0.99^{+0.13}_{-0.11}$
478	$K^{*0} e^+ e^-$	$1.03^{+0.19}_{-0.17}$	$0.86^{+0.26}_{-0.24} \pm 0.05$ [23]	$1.18^{+0.27}_{-0.22} \pm 0.09$ [24]			$1.03^{+0.19}_{-0.17}$
479	$K^{*0} \mu^+ \mu^-$	1.05 ± 0.10	$1.35^{+0.40}_{-0.37} \pm 0.10$ [23]	$1.06^{+0.19}_{-0.14} \pm 0.07$ [24]		$1.036^{+0.018}_{-0.017} \pm 0.071$ ¶ [34]	$1.049^{+0.067}_{-0.065}$
480	$K^{*0} \nu \bar{\nu}$	< 55	< 120 [27]	< 55 [22]			< 55
481	$\phi \nu \bar{\nu}$	< 127		< 127 [22]			< 127
	$\pi^+ \pi^- \mu^+ \mu^-$					$0.0211 \pm 0.0051 \pm 0.0022$ ¹ [35]	0.0210 ± 0.0060
483	$\pi^0 e^\pm \mu^\mp$	< 0.14	< 0.14 [36]				< 0.14
484	$K^0 e^\pm \mu^\mp$	< 0.27	< 0.27 [37]				< 0.27
485	$K^{*0} e^\pm \mu^\mp$	< 0.53	< 0.53 [37]				< 0.53

Results for LHCb are relative BF's converted to absolute BF's.

CLEO upper limits that have been greatly superseded are not shown.

† $M_{K\pi\pi} < 1.8 \text{ GeV}/c^2$.

‡ $1.0 < M_{K\pi\pi} < 2.0 \text{ GeV}/c^2$.

§ $1.25 \text{ GeV}/c^2 < M_{K\pi} < 1.6 \text{ GeV}/c^2$.

¶ This result takes into account the S-wave fraction in the $K\pi$ system.

¹ Muon pairs do not originate from resonances and $0.5 < m(\pi^+ \pi^-) < 1.3 \text{ GeV}/c^2$.

Heavy Flavor Averaging group (HFLAV) - November 2016
 Compilation of B Semi-leptonic and Radiative Branching Fractions ($\times 10^{-6}$) - UL at 90% CL
 In PDG2014 **New since PDG2014 (preliminary)** **New since PDG2014 (published)**

RPP#	Mode	PDG2014 Avg.	BABAR	Belle	CLEO	CDF	Our Avg.
66	$K\eta\gamma$	$8.5^{+1.8}_{-1.6}$		$8.5^{+1.3}_{-1.2} \pm 0.9$ [7]			$8.5^{+1.6}_{-1.5}$
68	$K_2^*(1430)\gamma$	17^{+6}_{-5}			$17 \pm 6 \pm 1$ [3]		17 ± 6
70	$K_3^*(1780)\gamma$	< 37		< 2.8 § [7]			< 2.8 §
77	$s\gamma$ †	340 ± 21	341 ± 28 ¹ [38-40]	328 ± 20 ¹ [41-43]	$329 \pm 44 \pm 29$ [44]		332 ± 15
77	$s\gamma$ ²		308 ± 22 ¹ [38-40]	305 ± 16 ¹ [42, 43]			306 ± 12
78	$d\gamma$	9.2 ± 3.0	$9.2 \pm 2.0 \pm 2.3$ [45]				9.2 ± 3.0
84	$\rho\gamma$	1.39 ± 0.25	$1.73^{+0.34}_{-0.32} \pm 0.17$ [14]	$1.21^{+0.24}_{-0.22} \pm 0.12$ [15]			$1.39^{+0.22}_{-0.21}$
85	$\rho/\omega\gamma$	1.30 ± 0.23	$1.63^{+0.30}_{-0.28} \pm 0.16$ [14]	$1.14 \pm 0.20^{+0.10}_{-0.12}$ [15]			$1.30^{+0.18}_{-0.19}$
119	se^+e^- ‡	4.7 ± 1.3	$7.69^{+0.82+0.71}_{-0.77-0.69}$ [46]				$7.69^{+1.08}_{-0.98}$
120	$s\mu^+\mu^-$ ‡	4.3 ± 1.2	$4.41^{+1.31+0.63}_{-1.17-0.50}$ [46]				$4.41^{+1.45}_{-1.27}$
121	$s\ell^+\ell^-$ ‡	4.5 ± 1.0	$6.73^{+0.70+0.60}_{-0.64-0.56}$ [46]				$6.73^{+0.92}_{-0.85}$
122	$\pi\ell^+\ell^-$	< 0.059	< 0.059 [18]	< 0.062 [19]			< 0.059
123	πe^+e^-	< 0.110	< 0.110 [18]				< 0.110
124	$\pi\mu^+\mu^-$	< 0.050	< 0.050 [18]				< 0.050
125	Ke^+e^-	0.44 ± 0.06	$0.39^{+0.09}_{-0.08} \pm 0.02$ [23]	$0.48^{+0.08}_{-0.07} \pm 0.03$ [24]			0.44 ± 0.06
126	$K^*e^+e^-$	1.19 ± 0.20	$0.99^{+0.23}_{-0.21} \pm 0.06$ [23]	$1.39^{+0.23}_{-0.20} \pm 0.12$ [24]			$1.19^{+0.17}_{-0.16}$
127	$K\mu^+\mu^-$	0.44 ± 0.04	$0.41^{+0.13}_{-0.12} \pm 0.02$ [23]	$0.50 \pm 0.06 \pm 0.03$ [24]		$0.42 \pm 0.04 \pm 0.02$ [47]	0.44 ± 0.04
128	$K^*\mu^+\mu^-$	1.06 ± 0.09	$1.35^{+0.42}_{-0.33} \pm 0.10$ [23]	$1.10^{+0.16}_{-0.14} \pm 0.08$ [24]		$1.01 \pm 0.10 \pm 0.05$ [47]	1.06 ± 0.09
129	$K\ell^+\ell^-$	0.48 ± 0.04	$0.47 \pm 0.06 \pm 0.02$ [48]	$0.48^{+0.05}_{-0.04} \pm 0.03$ [24]			0.48 ± 0.04
130	$K^*\ell^+\ell^-$	1.05 ± 0.10	$1.02^{+0.14}_{-0.13} \pm 0.05$ [48]	$1.07^{+0.11}_{-0.10} \pm 0.09$ [24]			1.05 ± 0.10
131	$K\nu\bar{\nu}$	< 17	< 17 [27]				< 17
132	$K^*\nu\bar{\nu}$	< 76	< 76 [27]				< 76
134	$\pi e^\pm\mu^\mp$	< 0.092	< 0.092 [36]				< 0.092
135	$\rho e^\pm\mu^\mp$	< 3.2			< 3.2 [49]		< 3.2
136	$Ke^\pm\mu^\mp$	< 0.038	< 0.038 [37]				< 0.038
137	$K^*e^\pm\mu^\mp$	< 0.51	< 0.51 [37]				< 0.51

Results for CDF are relative BF's converted to absolute BF's.

CLEO upper limits that have been greatly superseded are not shown.

† Results extrapolated to $E_\gamma > 1.6$ GeV, using the method of Ref. [50].

‡ Belle: $m(\ell^+\ell^-) > 0.2$ GeV/ c^2 , BABAR: $m^2(\ell^+\ell^-) > 0.1$ GeV²/ c^4 .

§ The value quoted is $\mathcal{B}(B \rightarrow K_3^*\gamma) \times \mathcal{B}(K_3^* \rightarrow K\eta)$. PDG gives the BF assuming $\mathcal{B}(K_3^* \rightarrow K\eta) = 11^{+5}_{-4}\%$.

¹ Average of several results, obtained with different methods.

² Only results originally measured in the interval $E_\gamma > 1.9$ GeV (also taken into account in the previous line).

Heavy Flavor Averaging group (HFLAV) - November 2016
 Compilation of B^+ and B^0 Leptonic Branching Fractions ($\times 10^{-6}$) - UL at 90% CL
 In PDG2014 **New since PDG2014 (preliminary)** **New since PDG2014 (published)**

RPP#	Mode	PDG2014 Avg.	BABAR	Belle	CDF	LHCb	CMS	ATLAS	Our Avg.
29	$e^+\nu$	< 0.98	< 1.9 [51]	< 0.98 [†] [52]					< 0.98 [†]
30	$\mu^+\nu$	< 1.0	< 1.0 [51]	< 1.7 [†] [52]					< 1.0
31	$\tau^+\nu$	114 ± 27	179 ± 48 [‡] [53]	$91 \pm 19 \pm 11$ [‡] [54]					106 ± 19
32	$\ell^+\nu_\ell\gamma$	< 15.6	< 15.6 [55]	< 3.5 [56]					< 3.5
33	$e^+\nu_e\gamma$	< 17	< 17 [55]	< 6.1 [56]					< 6.1
34	$\mu^+\nu_\mu\gamma$	< 24	< 24 [55]	< 3.4 [56]					< 3.4
457	$\gamma\gamma$	< 0.32	< 0.32 [57]	< 0.62 [58]					< 0.32
458	e^+e^-	< 0.083	< 0.113 [59]	< 0.19 [60]	< 0.083 [61]				< 0.083
459	$e^+e^-\gamma$	< 0.12	< 0.12 [62]						< 0.12
460	$\mu^+\mu^-$	< 0.00063	< 0.052 [59]	< 0.16 [60]	< 0.0038 [63]	< 0.0074 [¶] [64]	< 0.0110 [¶] [65]	< 0.00042 [¶] [66]	$0.00039^{+0.00016}_{-0.00014}$ [§]
461	$\mu^+\mu^-\gamma$	< 0.16	< 0.16 [62]						< 0.16
462	$\mu^+\mu^-\mu^+\mu^-$	< 0.0053				< 0.0053 [67]			< 0.0053
464	$\tau^+\tau^-$	< 4100	< 4100 [68]						< 4100
482	$e^\pm\mu^\mp$	< 0.0028	< 0.092 [59]	< 0.17 [60]	< 0.064 [61]	< 0.0028 [69]			< 0.0028
488	$e^\pm\tau^\mp$	< 28	< 28 [70]						< 28
489	$\mu^\pm\tau^\mp$	< 22	< 22 [70]						< 22
490	$\nu\bar{\nu}$	< 24	< 24 [71]	< 130 [72]					< 24
491	$\nu\bar{\nu}\gamma$	< 17	< 17 [71]						< 17

Results for CDF, LHCb, CMS and ATLAS are relative BF's converted to absolute BF's.

[†] More recent results exist, with hadronic tagging [73], that do not improve the limits (< 3.5 and < 2.7) for $e^+\nu$ and $\mu^+\nu$, respectively).

[‡] The authors make the average with their previous results, derived from statistically independent samples [74, 75].

[§] This is the combined result obtained by the LHCb and CMS collaborations [76].

[¶] UL at 95% CL.

Heavy FLavor AVeraging group (HFLAV) - November 2016
 Compilation of B^+ Relative Semi-leptonic and Radiative Branching Fractions
 In PDG2014 New since PDG2014 (preliminary) New since PDG2014 (published)

RPP#	Mode	PDG2014 AVG.	Belle	BABAR	LHCb	Our Avg.
	$10^4 \times \mathcal{B}(K^+ \pi^+ \pi^- \mu^+ \mu^-) / \mathcal{B}(\psi(2S) K^+)$				$6.95^{+0.46}_{-0.43} \pm 0.34$ [29]	$6.95^{+0.57}_{-0.55}$
	$10^4 \times \mathcal{B}(K^+ \phi \mu^+ \mu^-) / \mathcal{B}(\psi(2S) K^+)$				$1.58^{+0.36}_{-0.32} \pm 0.19$ [29]	$1.58^{+0.41}_{-0.33}$
469	$\mathcal{B}(\pi^+ \mu^+ \mu^-) / \mathcal{B}(K^+ \mu^+ \mu^-)$ †	$0.053 \pm 0.014 \pm 0.01$			$0.038 \pm 0.009 \pm 0.001$ [20]	0.038 ± 0.009
473	$\mathcal{B}(K^+ \mu^+ \mu^-) / \mathcal{B}(K^+ e^+ e^-)$ ‡				$0.745^{+0.090}_{-0.074} \pm 0.036$ [77]	$0.745^{+0.097}_{-0.082}$
473	$\mathcal{B}(K^+ \mu^+ \mu^-) / \mathcal{B}(K^+ e^+ e^-)$ §		$1.03 \pm 0.19 \pm 0.06$ [24]			1.03 ± 0.20
473	$\mathcal{B}(K^+ \mu^+ \mu^-) / \mathcal{B}(K^+ e^+ e^-)$ ¶			$1.00^{+0.31}_{-0.25} \pm 0.07$ [48]		$1.00^{+0.32}_{-0.26}$
	$\mathcal{B}(K^* \mu^+ \mu^-) / \mathcal{B}(K^* e^+ e^-)$ §		$0.83 \pm 0.17 \pm 0.08$ [24]			0.83 ± 0.19
	$\mathcal{B}(K^* \mu^+ \mu^-) / \mathcal{B}(K^* e^+ e^-)$ ¶			$1.013^{+0.34}_{-0.26} \pm 0.010$ [48]		$1.013^{+0.340}_{-0.260}$

† For $0.1 < m^2(\ell^+ \ell^-) < 6.0 \text{ GeV}^2/c^4$.

‡ For $1.0 < m^2(\ell^+ \ell^-) < 6.0 \text{ GeV}^2/c^4$.

§ For the full $m^2(\ell^+ \ell^-)$ range.

¶ For $0.10 < m^2(\ell^+ \ell^-) < 8.12 \text{ GeV}^2/c^4$ and $m^2(\ell^+ \ell^-) > 10.11 \text{ GeV}^2/c^4$.

Heavy FLavor AVeraging group (HFLAV) - November 2016
 Compilation of Branching Fractions of B^+/B^0 to \bar{q} gluon decays ($\times 10^{-6}$) - UL at 90% CL
 In PDG2014 New since PDG2014 (preliminary) New since PDG2014 (published)

RPP#	Mode	PDG2014 Avg.	BABAR	Belle	CLEO	Our Avg.
80	ηX	260^{+50}_{-80}		$261 \pm 30^{+44}_{-74}$ §[78]	< 440 [79]	261^{+53}_{-79}
81	$\eta' X$	420 ± 90	$390 \pm 80 \pm 90$ †[80]		$460 \pm 110 \pm 60$ †[81]	423 ± 86
82	$K^+ X$	< 187	< 187 ‡ [82]			< 187 ‡
83	$K^0 X$	195^{+71}_{-67}	$195^{+51}_{-45} \pm 50$ ‡ [82]			195^{+71}_{-67}
94	$\pi^+ X$	370 ± 80	$372^{+50}_{-47} \pm 59$ ¶ [82]			372^{+77}_{-75}

† $2.0 < p^*(\eta') < 2.7$ GeV/c.

‡ $m_X < 1.69$ GeV/c².

§ $0.4 < m_X < 2.6$ GeV/c².

¶ $m_X < 1.71$ GeV/c².

Heavy FLavor AVeraging group (HFLAV) - November 2016

Isospin Asymmetry

In PDG2014 New since PDG2014 (preliminary) New since PDG2014 (published)

Parameter	PDG2014 Avg.	BABAR	Belle	LHCb	Our Avg.
$\Delta_{0-}(X_s\gamma)$	-0.01 ± 0.06	-0.01 ± 0.06 † [38, 83]			-0.01 ± 0.06
$\Delta_{0+}(K^*\gamma)$	0.052 ± 0.026	$0.066 \pm 0.021 \pm 0.022$ [1]	$0.012 \pm 0.044 \pm 0.026$ [2]		0.052 ± 0.026
$\Delta_{\rho\gamma}$	-0.46 ± 0.17	$-0.43^{+0.25}_{-0.22} \pm 0.10$ [14]	$-0.48^{+0.21+0.08}_{-0.19-0.09}$ [15]		$-0.46^{+0.17}_{-0.16}$
$\Delta_{0-}(K\ell\ell)$ †	-0.37 ± 0.13	$-0.41 \pm 0.25 \pm 0.01$ [48]	$-0.41^{+0.25}_{-0.20} \pm 0.07$ [24]	$-0.10^{+0.08}_{-0.09} \pm 0.02$ § [28]	-0.16 ± 0.08
$\Delta_{0-}(K^*\ell\ell)$ †	-0.22 ± 0.10	$-0.20^{+0.30}_{-0.23} \pm 0.03$ [48]	$0.33^{+0.37}_{-0.43} \pm 0.08$ [24]	$0.00^{+0.12}_{-0.10} \pm 0.02$ § [28]	$-0.01^{+0.11}_{-0.09}$

In some of the B -factory results it is assumed that $\mathcal{B}(\Upsilon(4S) \rightarrow B^+B^-) = \mathcal{B}(\Upsilon(4S) \rightarrow B^0\bar{B}^0)$, and in others a measured value of the ratio of branching fractions is used. See original papers for details. The averages quoted above are computed naively and should be treated with caution.

† Results given for the bin $1 < m^2(\ell^+\ell^-) < 6 \text{ GeV}^2/c^4$, see references for the other bins.

‡ Average of two independent measurements from *BABAR*.

§ Only muons are used.

Heavy FLavor AVeraging group (HFLAV) - November 2016

Compilation of B^+ Semi-leptonic LFV & LNV Branching Fractions ($\times 10^{-6}$) - UL at 90% CL

In PDG2014 New since PDG2014 (preliminary) New since PDG2014 (published)

RPP#	Mode	PDG2014 Avg.	BABAR	LHCb	Our Avg.
484	$\pi^+e^\pm\mu^\mp$	< 0.17	< 0.17 [36]		< 0.17
485	$\pi^+e^+\tau^-$	< 74	< 74 [84]		< 74
486	$\pi^+e^-\tau^+$	< 20	< 20 [84]		< 20
487	$\pi^+e^\pm\tau^\mp$	< 75	< 75 [84]		< 75
488	$\pi^+\mu^+\tau^-$	< 62	< 62 [84]		< 62
489	$\pi^+\mu^-\tau^+$	< 45	< 45 [84]		< 45
490	$\pi^+\mu^\pm\tau^\mp$	< 72	< 72 [84]		< 72
491	$K^+e^+\mu^-$	< 0.091	< 0.091 [37]		< 0.091
492	$K^+e^-\mu^+$	< 0.13	< 0.13 [37]		< 0.13
493	$K^+e^\pm\mu^\mp$	< 0.091	< 0.091 [37]		< 0.091
494	$K^+e^+\tau^-$	< 43	< 43 [84]		< 43
495	$K^+e^-\tau^+$	< 15	< 15 [84]		< 15
496	$K^+e^\pm\tau^\mp$	< 30	< 30 [84]		< 30
497	$K^+\mu^+\tau^-$	< 45	< 45 [84]		< 45
498	$K^+\mu^-\tau^+$	< 28	< 28 [84]		< 28
499	$K^+\mu^\pm\tau^\mp$	< 48	< 48 [84]		< 48
500	$K^{*+}e^+\mu^-$	< 1.3	< 1.3 [37]		< 1.3
501	$K^{*+}e^-\mu^+$	< 0.99	< 0.99 [37]		< 0.99
502	$K^{*+}e^\pm\mu^\mp$	< 1.4	< 1.4 [37]		< 1.4
503	$\pi^-e^+e^+$	< 0.023	< 0.023 [85]		< 0.023
504	$\pi^-\mu^+\mu^+$	< 0.013	< 0.107 [85]	< 0.004 † [86]	< 0.004 †
505	$\pi^-e^+\mu^+$	< 0.15	< 0.15 [87]		< 0.15
506	$\rho^-e^+e^+$	< 0.17	< 0.17 [87]		< 0.17
507	$\rho^-\mu^+\mu^+$	< 0.42	< 0.42 [87]		< 0.42
508	$\rho^-e^+\mu^+$	< 0.47	< 0.47 [87]		< 0.47
509	$K^-e^+e^+$	< 0.03	< 0.03 [85]		< 0.03
510	$K^-\mu^+\mu^+$	< 0.041	< 0.067 [85]	< 0.041 [88]	< 0.041
511	$K^-e^+\mu^+$	< 0.16	< 0.16 [87]		< 0.16
512	$K^{*-}e^+e^+$	< 0.40	< 0.40 [87]		< 0.40
513	$K^{*-}\mu^+\mu^+$	< 0.59	< 0.59 [87]		< 0.59
514	$K^{*-}e^+\mu^+$	< 0.30	< 0.30 [87]		< 0.30

Results for LHCb are relative BF's converted to absolute BF's.

CLEO upper limits that have been greatly superseded are not shown.

† UL at 95% CL.

References

- [1] B. Aubert *et al.*, (*BABAR* collaboration), Phys. Rev. Lett. **103**, 211802, (2009), arXiv:0906.2177 [hep-ex].
- [2] M. Nakao *et al.*, (Belle collaboration), Phys. Rev. **D69**, 112001, (2004), arXiv:hep-ex/0402042 [hep-ex].
- [3] T. E. Coan *et al.*, (CLEO collaboration), Phys. Rev. Lett. **84**, 5283, (2000), arXiv:hep-ex/9912057 [hep-ex].
- [4] P. del Amo Sanchez *et al.*, (*BABAR* collaboration), Phys. Rev. **D93**, 052013, (2016), arXiv:1512.03579 [hep-ex].
- [5] H. Yang *et al.*, (Belle collaboration), Phys. Rev. Lett. **94**, 111802, (2005), arXiv:hep-ex/0412039 [hep-ex].
- [6] B. Aubert *et al.*, (*BABAR* collaboration), Phys. Rev. **D79**, 011102, (2009), arXiv:0805.1317 [hep-ex].
- [7] S. Nishida *et al.*, (Belle collaboration), Phys. Lett. **B610**, 23, (2005), arXiv:hep-ex/0411065 [hep-ex].
- [8] B. Aubert *et al.*, (*BABAR* collaboration), Phys. Rev. **D74**, 031102, (2006), arXiv:hep-ex/0603054 [hep-ex].
- [9] R. Wedd *et al.*, (Belle collaboration), Phys. Rev. **D81**, 111104, (2010), arXiv:0810.0804 [hep-ex].
- [10] B. Aubert *et al.*, (*BABAR* collaboration), Phys. Rev. **D75**, 051102, (2007), arXiv:hep-ex/0611037 [hep-ex].
- [11] H. Sahoo *et al.*, (Belle collaboration), Phys. Rev. **D84**, 071101, (2011), arXiv:1104.5590 [hep-ex].
- [12] S. Nishida *et al.*, (Belle collaboration), Phys. Rev. Lett. **89**, 231801, (2002), arXiv:hep-ex/0205025 [hep-ex].
- [13] B. Aubert *et al.*, (*BABAR* collaboration), Phys. Rev. Lett. **98**, 211804, (2007), arXiv:hep-ex/0507031 [hep-ex], Erratum *ibid.* **100**, 199905, (2008).
- [14] B. Aubert *et al.*, (*BABAR* collaboration), Phys. Rev. **D78**, 112001, (2008), arXiv:0808.1379 [hep-ex].
- [15] N. Taniguchi *et al.*, (Belle collaboration), Phys. Rev. Lett. **101**, 111801, (2008), arXiv:0804.4770 [hep-ex], Erratum *ibid.* **101**, 129904, (2008).
- [16] M. Z. Wang *et al.*, (Belle collaboration), Phys. Rev. **D76**, 052004, (2007), arXiv:0704.2672 [hep-ex].
- [17] Y. J. Lee *et al.*, (Belle collaboration), Phys. Rev. Lett. **95**, 061802, (2005), arXiv:hep-ex/0503046 [hep-ex].
- [18] J. P. Lees *et al.*, (*BABAR* collaboration), Phys. Rev. **D88**, 032012, (2013), arXiv:1303.6010 [hep-ex].

- [19] J. T. Wei *et al.*, (Belle collaboration), Phys. Rev. **D78**, 011101, (2008), arXiv:0804.3656 [hep-ex].
- [20] R. Aaij *et al.*, (LHCb collaboration), JHEP **10**, 034, (2015), arXiv:1509.00414 [hep-ex].
- [21] B. Aubert *et al.*, (BABAR collaboration), Phys. Rev. Lett. **94**, 101801, (2005), arXiv:hep-ex/0411061 [hep-ex].
- [22] O. Lutz *et al.*, (Belle collaboration), Phys. Rev. **D87**, 111103, (2013), arXiv:1303.3719 [hep-ex].
- [23] B. Aubert *et al.*, (BABAR collaboration), Phys. Rev. Lett. **102**, 091803, (2009), arXiv:0807.4119 [hep-ex].
- [24] J. T. Wei *et al.*, (Belle collaboration), Phys. Rev. Lett. **103**, 171801, (2009), arXiv:0904.0770 [hep-ex].
- [25] R. Aaij *et al.*, (LHCb collaboration), JHEP **02**, 105, (2013), arXiv:1209.4284 [hep-ex].
- [26] J. P. Lees *et al.*, (BABAR collaboration), Phys. Rev. Lett. **118**, 031802, (2017), arXiv:1605.09637 [hep-ex].
- [27] J. P. Lees *et al.*, (BABAR collaboration), Phys. Rev. **D87**, 112005, (2013), arXiv:1303.7465 [hep-ex].
- [28] R. Aaij *et al.*, (LHCb collaboration), JHEP **06**, 133, (2014), arXiv:1403.8044 [hep-ex].
- [29] R. Aaij *et al.*, (LHCb collaboration), JHEP **10**, 064, (2014), arXiv:1408.1137 [hep-ex].
- [30] B. Aubert *et al.*, (BABAR collaboration), Phys. Rev. **D70**, 091105, (2004), arXiv:hep-ex/0409035 [hep-ex].
- [31] B. Aubert *et al.*, (BABAR collaboration), Phys. Rev. **D72**, 091103, (2005), arXiv:hep-ex/0501038 [hep-ex].
- [32] Z. King *et al.*, (Belle collaboration), Phys. Rev. **D93**, 111101, (2016), arXiv:1603.06546 [hep-ex].
- [33] Y. T. Lai *et al.*, (Belle collaboration), Phys. Rev. **D89**, 051103, (2014), arXiv:1312.4228 [hep-ex].
- [34] R. Aaij *et al.*, (LHCb collaboration), JHEP **11**, 047, (2016), arXiv:1606.04731 [hep-ex].
- [35] R. Aaij *et al.*, (LHCb collaboration), Phys. Lett. **B743**, 46, (2015), arXiv:1412.6433 [hep-ex].
- [36] B. Aubert *et al.*, (BABAR collaboration), Phys. Rev. Lett. **99**, 051801, (2007), arXiv:hep-ex/0703018 [hep-ex].
- [37] B. Aubert *et al.*, (BABAR collaboration), Phys. Rev. **D73**, 092001, (2006), arXiv:hep-ex/0604007 [hep-ex].
- [38] B. Aubert *et al.*, (BABAR collaboration), Phys. Rev. **D77**, 051103, (2008), arXiv:0711.4889 [hep-ex].
- [39] J. P. Lees *et al.*, (BABAR collaboration), Phys. Rev. Lett. **109**, 191801, (2012), arXiv:1207.2690 [hep-ex].

- [40] J. P. Lees *et al.*, (*BABAR* collaboration), Phys. Rev. **D86**, 052012, (2012), arXiv:1207.2520 [hep-ex].
- [41] A. Limosani *et al.*, (*Belle* collaboration), Phys. Rev. Lett. **103**, 241801, (2009), arXiv:0907.1384 [hep-ex].
- [42] T. Saito *et al.*, (*Belle* collaboration), Phys. Rev. **D91**, 052004, (2015), arXiv:1411.7198 [hep-ex].
- [43] A. Abdesselam *et al.*, (*Belle* collaboration), arXiv:1608.02344 [hep-ex], (2016).
- [44] S. Chen *et al.*, (*CLEO* collaboration), Phys. Rev. Lett. **87**, 251807, (2001), arXiv:hep-ex/0108032 [hep-ex].
- [45] P. del Amo Sanchez *et al.*, (*BABAR* collaboration), Phys. Rev. **D82**, 051101, (2010), arXiv:1005.4087 [hep-ex].
- [46] J. P. Lees *et al.*, (*BABAR* collaboration), Phys. Rev. Lett. **112**, 211802, (2014), arXiv:1312.5364 [hep-ex].
- [47] T. Aaltonen *et al.*, (*CDF* collaboration), Phys. Rev. Lett. **107**, 201802, (2011), arXiv:1107.3753 [hep-ex].
- [48] J. P. Lees *et al.*, (*BABAR* collaboration), Phys. Rev. **D86**, 032012, (2012), arXiv:1204.3933 [hep-ex].
- [49] K. W. Edwards *et al.*, (*CLEO* collaboration), Phys. Rev. **D65**, 111102, (2002), arXiv:hep-ex/0204017 [hep-ex].
- [50] O. Buchmuller and H. Flacher, Phys. Rev. **D73**, 073008, (2006), arXiv:hep-ph/0507253 [hep-ph].
- [51] B. Aubert *et al.*, (*BABAR* collaboration), Phys. Rev. **D79**, 091101, (2009), arXiv:0903.1220 [hep-ex].
- [52] N. Satoyama *et al.*, (*Belle* collaboration), Phys. Lett. **B647**, 67, (2007), arXiv:hep-ex/0611045 [hep-ex].
- [53] J. P. Lees *et al.*, (*BABAR* collaboration), Phys. Rev. **D88**, 031102, (2013), arXiv:1207.0698 [hep-ex].
- [54] B. Kronenbitter *et al.*, (*Belle* collaboration), Phys. Rev. **D92**, 051102, (2015), arXiv:1503.05613 [hep-ex].
- [55] B. Aubert *et al.*, (*BABAR* collaboration), Phys. Rev. **D80**, 111105, (2009), arXiv:0907.1681 [hep-ex].
- [56] A. Heller *et al.*, (*Belle* collaboration), Phys. Rev. **D91**, 112009, (2015), arXiv:1504.05831 [hep-ex].
- [57] P. del Amo Sanchez *et al.*, (*BABAR* collaboration), Phys. Rev. **D83**, 032006, (2011), arXiv:1010.2229 [hep-ex].
- [58] S. Villa *et al.*, (*Belle* collaboration), Phys. Rev. **D73**, 051107, (2006), arXiv:hep-ex/0507036 [hep-ex].

- [59] B. Aubert *et al.*, (*BABAR* collaboration), Phys. Rev. **D77**, 032007, (2008), [arXiv:0712.1516 \[hep-ex\]](#).
- [60] M. C. Chang *et al.*, (*Belle* collaboration), Phys. Rev. **D68**, 111101, (2003), [arXiv:hep-ex/0309069 \[hep-ex\]](#).
- [61] T. Aaltonen *et al.*, (*CDF* collaboration), Phys. Rev. Lett. **102**, 201801, (2009), [arXiv:0901.3803 \[hep-ex\]](#).
- [62] B. Aubert *et al.*, (*BABAR* collaboration), Phys. Rev. **D77**, 011104, (2008), [arXiv:0706.2870 \[hep-ex\]](#).
- [63] T. Aaltonen *et al.*, (*CDF* collaboration), Phys. Rev. **D87**, 072003, (2013), [arXiv:1301.7048 \[hep-ex\]](#).
- [64] R. Aaij *et al.*, (*LHCb* collaboration), Phys. Rev. Lett. **111**, 101805, (2013), [arXiv:1307.5024 \[hep-ex\]](#).
- [65] S. Chatrchyan *et al.*, (*CMS* collaboration), Phys. Rev. Lett. **111**, 101804, (2013), [arXiv:1307.5025 \[hep-ex\]](#).
- [66] M. Aaboud *et al.*, (*ATLAS* collaboration), Eur. Phys. J. **C76**, 513, (2016), [arXiv:1604.04263 \[hep-ex\]](#).
- [67] R. Aaij *et al.*, (*LHCb* collaboration), Phys. Rev. Lett. **110**, 211801, (2013), [arXiv:1303.1092 \[hep-ex\]](#).
- [68] B. Aubert *et al.*, (*BABAR* collaboration), Phys. Rev. Lett. **96**, 241802, (2006), [arXiv:hep-ex/0511015 \[hep-ex\]](#).
- [69] R. Aaij *et al.*, (*LHCb* collaboration), Phys. Rev. Lett. **111**, 141801, (2013), [arXiv:1307.4889 \[hep-ex\]](#).
- [70] B. Aubert *et al.*, (*BABAR* collaboration), Phys. Rev. **D77**, 091104, (2008), [arXiv:0801.0697 \[hep-ex\]](#).
- [71] J. P. Lees *et al.*, (*BABAR* collaboration), Phys. Rev. **D86**, 051105, (2012), [arXiv:1206.2543 \[hep-ex\]](#).
- [72] C. L. Hsu *et al.*, (*Belle* collaboration), Phys. Rev. **D86**, 032002, (2012), [arXiv:1206.5948 \[hep-ex\]](#).
- [73] Y. Yook *et al.*, (*Belle* collaboration), Phys. Rev. **D91**, 052016, (2015), [arXiv:1406.6356 \[hep-ex\]](#).
- [74] B. Aubert *et al.*, (*BABAR* collaboration), Phys. Rev. **D81**, 051101, (2010), [arXiv:0912.2453 \[hep-ex\]](#).
- [75] I. Adachi *et al.*, (*Belle* collaboration), Phys. Rev. Lett. **110**, 131801, (2013), [arXiv:1208.4678 \[hep-ex\]](#).
- [76] V. Khachatryan *et al.*, (*CMS* and *LHCb* collaborations), Nature **522**, 68, (2015), [arXiv:1411.4413 \[hep-ex\]](#).
- [77] R. Aaij *et al.*, (*LHCb* collaboration), Phys. Rev. Lett. **113**, 151601, (2014), [arXiv:1406.6482 \[hep-ex\]](#).

- [78] K. Nishimura *et al.*, (Belle collaboration), Phys. Rev. Lett. **105**, 191803, (2010), arXiv:0910.4751 [hep-ex].
- [79] T. E. Browder *et al.*, (CLEO collaboration), Phys. Rev. Lett. **81**, 1786, (1998), arXiv:hep-ex/9804018 [hep-ex].
- [80] B. Aubert *et al.*, (BABAR collaboration), Phys. Rev. Lett. **93**, 061801, (2004), arXiv:hep-ex/0401006 [hep-ex].
- [81] G. Bonvicini *et al.*, (CLEO collaboration), Phys. Rev. **D68**, 011101, (2003), arXiv:hep-ex/0303009 [hep-ex].
- [82] P. del Amo Sanchez *et al.*, (BABAR collaboration), Phys. Rev. **D83**, 031103, (2011), arXiv:1012.5031 [hep-ex].
- [83] B. Aubert *et al.*, (BABAR collaboration), Phys. Rev. **D72**, 052004, (2005), arXiv:hep-ex/0508004 [hep-ex].
- [84] J. P. Lees *et al.*, (BABAR collaboration), Phys. Rev. **D86**, 012004, (2012), arXiv:1204.2852 [hep-ex].
- [85] J. P. Lees *et al.*, (BABAR collaboration), Phys. Rev. **D85**, 071103, (2012), arXiv:1202.3650 [hep-ex].
- [86] R. Aaij *et al.*, (LHCb collaboration), Phys. Rev. Lett. **112**, 131802, (2014), arXiv:1401.5361 [hep-ex].
- [87] J. P. Lees *et al.*, (BABAR collaboration), Phys. Rev. **D89**, 011102, (2014), arXiv:1310.8238 [hep-ex].
- [88] R. Aaij *et al.*, (LHCb collaboration), Phys. Rev. Lett. **108**, 101601, (2012), arXiv:1110.0730 [hep-ex].