

Heavy FLavor AVeraging group (HFLAV) - May 2018

Compilation of CP Asymmetries for B^+ modes (part 1)

Preliminary Updated results not included in PDG Live as of Dec. 31, 2017

| Mode | PDG2017 Avg. | BABAR | Belle | CDF | LHCb | Our Avg. |
|------------------------|---------------------------|---|--|---------------------------------------|--|----------------------------|
| $K^0\pi^+$ | -0.017 ± 0.016 | $-0.029 \pm 0.039 \pm 0.010$ [1] | $-0.011 \pm 0.021 \pm 0.006$ [2] | | $-0.022 \pm 0.025 \pm 0.010$ [3] | -0.017 ± 0.016 |
| $K^+\pi^0$ | 0.037 ± 0.021 ‡ | $0.030 \pm 0.039 \pm 0.010$ [4] | $0.043 \pm 0.024 \pm 0.002$ [2] | | | 0.040 ± 0.021 |
| $\eta'K^+$ | 0.004 ± 0.011 | $0.008^{+0.017}_{-0.018} \pm 0.009$ [5] | $0.028 \pm 0.028 \pm 0.021$ [6] | | $-0.002 \pm 0.012 \pm 0.001 \pm 0.006$ [7] | 0.003 ± 0.010 |
| $\eta'K^{*+}$ | -0.26 ± 0.27 | $-0.26 \pm 0.27 \pm 0.02$ [8] | | | | -0.26 ± 0.27 |
| $\eta'K_0^*(1430)^+$ | 0.06 ± 0.20 | $0.06 \pm 0.20 \pm 0.02$ [8] | | | | 0.06 ± 0.20 |
| $\eta'K_2^*(1430)^+$ | 0.15 ± 0.13 | $0.15 \pm 0.13 \pm 0.02$ [8] | | | | 0.15 ± 0.13 |
| ηK^+ | -0.37 ± 0.08 | $-0.36 \pm 0.11 \pm 0.03$ [5] | $-0.38 \pm 0.11 \pm 0.01$ [9] | | | -0.37 ± 0.08 |
| ηK^{*+} | 0.02 ± 0.06 | $0.01 \pm 0.08 \pm 0.02$ [10] | $0.03 \pm 0.10 \pm 0.01$ [11] | | | 0.02 ± 0.06 |
| $\eta K_0^*(1430)^+$ | $0.05 \pm 0.13 \pm 0.02$ | $0.05 \pm 0.13 \pm 0.02$ [10] | | | | 0.05 ± 0.13 |
| $\eta K_2^*(1430)^+$ | $-0.45 \pm 0.30 \pm 0.02$ | $-0.45 \pm 0.30 \pm 0.02$ [10] | | | | -0.45 ± 0.30 |
| ωK^+ | -0.02 ± 0.04 | $-0.01 \pm 0.07 \pm 0.01$ [12] | $-0.03 \pm 0.04 \pm 0.01$ [13] | | | -0.02 ± 0.04 |
| ωK^{*+} | 0.29 ± 0.35 | $0.29 \pm 0.35 \pm 0.02$ [14] | | | | 0.29 ± 0.35 |
| $\omega K_0^*(1430)^+$ | -0.10 ± 0.09 | $-0.10 \pm 0.09 \pm 0.02$ [14] | | | | -0.10 ± 0.09 |
| $\omega K_2^*(1430)^+$ | 0.14 ± 0.15 | $0.14 \pm 0.15 \pm 0.02$ [14] | | | | 0.14 ± 0.15 |
| $K^{*0}\pi^+$ | $-0.04 \pm 0.09^*$ | $0.032 \pm 0.052^{+0.016}_{-0.013}$ [15] | $-0.149 \pm 0.064 \pm 0.022$ [16] | | | -0.038 ± 0.042 |
| $K^{*+}\pi^0$ | -0.06 ± 0.24 | $-0.06 \pm 0.24 \pm 0.04$ [17] | | | | -0.06 ± 0.24 |
| $K^+\pi^+\pi^-$ | 0.027 ± 0.008 | $0.028 \pm 0.020 \pm 0.023$ [15] | $0.049 \pm 0.026 \pm 0.020$ [16] | | $0.025 \pm 0.004 \pm 0.008$ [18] | 0.027 ± 0.008 |
| $f_0(980)K^+$ | -0.08 ± 0.09 † | $-0.106 \pm 0.050^{+0.036}_{-0.015}$ [15] | $-0.077 \pm 0.065^{+0.046}_{-0.026}$ [16] | | | $-0.095^{+0.049}_{-0.042}$ |
| $f_2(1270)K^+$ | $-0.68^{+0.19}_{-0.017}$ | $-0.85 \pm 0.22^{+0.26}_{-0.13}$ [15] | $-0.59 \pm 0.22 \pm 0.04$ [16] | | | $-0.68^{+0.20}_{-0.18}$ |
| $f_0(1370)K^+$ | $0.28^{+0.30}_{-0.29}$ | $0.28 \pm 0.26^{+0.15}_{-0.14}$ [15] | | | | $0.28^{+0.30}_{-0.29}$ |
| ρ^0K^+ | 0.37 ± 0.10 | $0.44 \pm 0.10^{+0.06}_{-0.14}$ [15] | $0.30 \pm 0.11^{+0.11}_{-0.05}$ [16] | | | 0.37 ± 0.11 |
| $K_0^*(1430)^0\pi^+$ | 0.055 ± 0.033 | $0.032 \pm 0.035^{+0.034}_{-0.028}$ [15] | $0.076 \pm 0.038^{+0.028}_{-0.022}$ [16] | | | $0.055^{+0.034}_{-0.032}$ |
| $K_2^*(1430)^0\pi^+$ | $0.05^{+0.29}_{-0.24}$ | $0.05 \pm 0.23^{+0.18}_{-0.08}$ [15] | | | | $0.05^{+0.29}_{-0.24}$ |
| $K^+\pi^0\pi^0$ | -0.06 ± 0.07 | $-0.06 \pm 0.06 \pm 0.04$ [17] | | | | -0.06 ± 0.07 |
| ρ^+K^0 | -0.12 ± 0.17 | $-0.12 \pm 0.17 \pm 0.02$ [19] | | | | -0.12 ± 0.17 |
| $K^{*+}\pi^+\pi^-$ | 0.07 ± 0.08 | $0.07 \pm 0.07 \pm 0.04$ [20] | | | | 0.07 ± 0.08 |
| $K^{*+}\rho^0$ | 0.31 ± 0.13 | $0.31 \pm 0.13 \pm 0.03$ [21] | | | | 0.31 ± 0.13 |
| $f_0(980)K^{*+}$ | -0.15 ± 0.12 | $-0.15 \pm 0.12 \pm 0.03$ [21] | | | | -0.15 ± 0.12 |
| $a_1^+K^0$ | 0.12 ± 0.11 | $0.12 \pm 0.11 \pm 0.02$ [22] | | | | 0.12 ± 0.11 |
| $b_1^+K^0$ | -0.03 ± 0.15 | $-0.03 \pm 0.15 \pm 0.02$ [23] | | | | -0.03 ± 0.15 |
| $K^{*0}\rho^+$ | -0.01 ± 0.16 | $-0.01 \pm 0.16 \pm 0.02$ [24] | | | | -0.01 ± 0.16 |
| $b_1^0K^+$ | -0.46 ± 0.20 | $-0.46 \pm 0.20 \pm 0.02$ [25] | | | | -0.46 ± 0.20 |
| K^+K^0 | 0.04 ± 0.14 | $0.10 \pm 0.26 \pm 0.03$ [1] | $0.014 \pm 0.168 \pm 0.002$ [2] | | $-0.21 \pm 0.14 \pm 0.01$ [3] | -0.087 ± 0.100 |
| $K^+K_S^0$ | $0.04^{+0.04}_{-0.05}$ | $0.04^{+0.04}_{-0.05} \pm 0.02$ [26] | | | | $0.04^{+0.04}_{-0.05}$ |
| $K^+K^- \pi^+$ | -0.12 ± 0.05 | $0.00 \pm 0.10 \pm 0.03$ [27] | $-0.170 \pm 0.073 \pm 0.017^{\text{§}}$ [28] | | $-0.123 \pm 0.017 \pm 0.014$ [18] | -0.122 ± 0.021 |
| $K^+K^- K^+$ | -0.033 ± 0.008 | $-0.017^{+0.019}_{-0.014} \pm 0.014$ [26] | | | $-0.036 \pm 0.004 \pm 0.007$ [18] | -0.033 ± 0.007 |
| ϕK^+ | $0.024 \pm 0.028^*$ | $0.128 \pm 0.044 \pm 0.013$ [26] | $0.01 \pm 0.12 \pm 0.05$ [29] | $-0.07 \pm 0.17^{+0.03}_{-0.02}$ [30] | $0.017 \pm 0.011 \pm 0.002 \pm 0.006$ [7] | 0.025 ± 0.012 |

* Errors from PDG include a scale factor.

† PDG takes the value from the BABAR amplitude analysis of $B^+ \rightarrow K^+K^-K^+$, while our numbers are from amplitude analyses of $B^+ \rightarrow K^+\pi^-\pi^+$.

‡ PDG uses also a result from CLEO.

§ CP asymetry is also measured in different bins of $m_{K^+K^-}$.

Heavy FLavor AVeraging group (HFLAV) - May 2018
 Compilation of CP Asymmetries for B^+ modes (part 2)

Preliminary Updated results not included in PDG Live as of Dec. 31, 2017

| Mode | PDG2017 Avg. | BABAR | Belle | CDF | LHCb | Our Avg. |
|------------------------|--------------------------|--|---|-----|--------------------------------------|-------------------------|
| $K^{*+}K^+K^-$ | 0.11 ± 0.09 | $0.11 \pm 0.08 \pm 0.03$ [20] | | | | 0.11 ± 0.09 |
| ϕK^{*+} | -0.01 ± 0.08 | $0.00 \pm 0.09 \pm 0.04$ [31] | $-0.02 \pm 0.14 \pm 0.03$ [32] | | | -0.01 ± 0.08 |
| $\phi K_1(1270)^+$ | 0.15 ± 0.20 | $0.15 \pm 0.19 \pm 0.05$ [33] | | | | 0.15 ± 0.20 |
| $\phi K_0^*(1430)^+$ | 0.04 ± 0.15 | $0.04 \pm 0.15 \pm 0.04$ [33] | | | | 0.04 ± 0.15 |
| $\phi K_2^*(1430)^+$ | -0.23 ± 0.20 | $-0.23 \pm 0.19 \pm 0.06$ [33] | | | | -0.23 ± 0.20 |
| $\phi\phi K^+$ | -0.10 ± 0.08 | -0.10 ± 0.08 [34] | | | | -0.10 ± 0.08 |
| $K^{*+}\gamma$ | 0.18 ± 0.29 | $0.18 \pm 0.28 \pm 0.07$ [35] | $0.011 \pm 0.023 \pm 0.003$ [36] | | | 0.012 ± 0.023 |
| $K^+\eta\gamma$ | -0.12 ± 0.07 | $-0.09 \pm 0.10 \pm 0.01$ [37] | $-0.16 \pm 0.09 \pm 0.06$ [38] | | | -0.12 ± 0.07 |
| $K^+\phi\gamma$ | $-0.13 \pm 0.11^*$ | $-0.26 \pm 0.14 \pm 0.05$ [39] | $-0.03 \pm 0.11 \pm 0.08$ [40] | | | -0.13 ± 0.10 |
| $\rho^+\gamma$ | -0.11 ± 0.33 | | $-0.11 \pm 0.32 \pm 0.09$ [41] | | | -0.11 ± 0.33 |
| $\pi^+\pi^0$ | 0.03 ± 0.04 | $0.03 \pm 0.08 \pm 0.01$ [4] | $0.025 \pm 0.043 \pm 0.007$ [2] | | | 0.026 ± 0.039 |
| $\pi^+\pi^-\pi^+$ | 0.057 ± 0.013 | $0.032 \pm 0.044^{+0.040}_{-0.037}$ [42] | | | $0.058 \pm 0.008 \pm 0.011$ [18] | 0.057 ± 0.014 |
| $\rho^0\pi^+$ | $0.18^{+0.09}_{-0.17}$ | $0.18 \pm 0.07^{+0.05}_{-0.15}$ [42] | | | | $0.18^{+0.09}_{-0.17}$ |
| $f_2(1270)\pi^+$ | $0.41^{+0.31}_{-0.29}$ | $0.41 \pm 0.25^{+0.18}_{-0.15}$ [42] | | | | $0.41^{+0.31}_{-0.29}$ |
| $\rho(1450)^0\pi^+$ | $-0.06^{+0.36}_{-0.42}$ | $-0.06 \pm 0.28^{+0.23}_{-0.32}$ [42] | | | | $-0.06^{+0.36}_{-0.42}$ |
| $f_0(1370)\pi^+$ | 0.72 ± 0.22 | $0.72 \pm 0.15 \pm 0.16$ [42] | | | | 0.72 ± 0.22 |
| $\pi^+\pi^-\pi^+(NR)$ | $-0.14^{+0.23}_{-0.16}$ | $-0.14 \pm 0.14^{+0.18}_{-0.08}$ [42] | | | | $-0.14^{+0.23}_{-0.16}$ |
| $\rho^+\pi^0$ | 0.02 ± 0.11 | $-0.01 \pm 0.13 \pm 0.02$ [43] | $0.06 \pm 0.17^{+0.04}_{-0.05}$ [44] | | | 0.02 ± 0.11 |
| $\rho^+\rho^0$ | -0.05 ± 0.05 | $-0.054 \pm 0.055 \pm 0.010$ [45] | $0.00 \pm 0.22 \pm 0.03$ [46] | | | -0.051 ± 0.054 |
| $\omega\pi^+$ | $-0.04 \pm 0.06^\dagger$ | $-0.02 \pm 0.08 \pm 0.01$ [12] | $-0.02 \pm 0.09 \pm 0.01$ [47] | | | -0.02 ± 0.06 |
| $\omega\rho^+$ | -0.20 ± 0.09 | $-0.20 \pm 0.09 \pm 0.02$ [14] | | | | -0.20 ± 0.09 |
| $\eta\pi^+$ | $-0.14 \pm 0.07^*$ | $-0.03 \pm 0.09 \pm 0.03$ [5] | $-0.19 \pm 0.06 \pm 0.01$ [9] | | | -0.14 ± 0.05 |
| $\eta\rho^+$ | 0.11 ± 0.11 | $0.13 \pm 0.11 \pm 0.02$ [48] | $-0.04^{+0.34}_{-0.32} \pm 0.01$ [11] | | | 0.11 ± 0.11 |
| $\eta'\pi^+$ | 0.06 ± 0.16 | $0.03 \pm 0.17 \pm 0.02$ [5] | $0.20^{+0.37}_{-0.36} \pm 0.04$ [6] | | | 0.06 ± 0.15 |
| $\eta'\rho^+$ | 0.26 ± 0.17 | $0.26 \pm 0.17 \pm 0.02$ [8] | | | | 0.26 ± 0.17 |
| $b_1^0\pi^+$ | 0.05 ± 0.16 | $0.05 \pm 0.16 \pm 0.02$ [25] | | | | 0.05 ± 0.16 |
| $p\bar{p}\pi^+$ | 0.00 ± 0.04 | $0.04 \pm 0.07 \pm 0.04$ [49] | $-0.17 \pm 0.10 \pm 0.02^\ddagger$ [50] | | $-0.041 \pm 0.039 \pm 0.005$ [51] | -0.041 ± 0.033 |
| $p\bar{p}K^+$ | $0.00 \pm 0.04^*$ | $-0.16 \pm 0.08 \pm 0.04$ [52] | $-0.02 \pm 0.05 \pm 0.02^\ddagger$ [50] | | $-0.021 \pm 0.020 \pm 0.004$ [51] | -0.027 ± 0.018 |
| $p\bar{p}K^{*+}$ | $0.21 \pm 0.16^*$ | $0.32 \pm 0.13 \pm 0.05$ [49] | $-0.01 \pm 0.19 \pm 0.02$ [53] | | | 0.21 ± 0.11 |
| $p\bar{\Lambda}\gamma$ | 0.17 ± 0.17 | | $0.17 \pm 0.16 \pm 0.05$ [54] | | | 0.17 ± 0.17 |
| $p\bar{\Lambda}\pi^0$ | 0.01 ± 0.17 | | $0.01 \pm 0.17 \pm 0.04$ [54] | | | 0.01 ± 0.17 |
| $K^+\ell\ell$ | -0.02 ± 0.08 | $-0.03 \pm 0.14 \pm 0.01^\S$ [55] | $0.04 \pm 0.10 \pm 0.02$ [56] | | | 0.02 ± 0.08 |
| $K^+e^+e^-$ | 0.14 ± 0.14 | | $0.14 \pm 0.14 \pm 0.03$ [56] | | | 0.14 ± 0.14 |
| $K^+\mu^+\mu^-$ | 0.011 ± 0.017 | | $-0.05 \pm 0.13 \pm 0.03$ [56] | | $0.012 \pm 0.017 \pm 0.001^\P$ [57] | 0.011 ± 0.017 |
| $\pi^+\mu^+\mu^-$ | -0.11 ± 0.12 | | | | $-0.11 \pm 0.12 \pm 0.01$ [58] | -0.11 ± 0.12 |
| $K^{*+}\ell\ell$ | -0.09 ± 0.14 | $0.01^{+0.26}_{-0.24} \pm 0.02$ [59] | $-0.13^{+0.17}_{-0.16} \pm 0.01$ [56] | | | $-0.09^{+0.14}_{-0.13}$ |
| $K^{*+}e^+e^-$ | $-0.14^{+0.23}_{-0.22}$ | | $-0.14^{+0.23}_{-0.22} \pm 0.02$ [56] | | | $-0.14^{+0.23}_{-0.22}$ |
| $K^{*+}\mu^+\mu^-$ | -0.12 ± 0.24 | | $-0.12 \pm 0.24 \pm 0.02$ [56] | | $-0.035 \pm 0.024 \pm 0.003^\P$ [57] | -0.036 ± 0.024 |

* Errors from PDG include a scale factor.

† PDG uses also a result from CLEO.

‡ PDG swaps the Belle results corresponding to $A_{CP}(p\bar{p}\pi^+)$ and $A_{CP}(p\bar{p}K^+)$.

§ PDG uses also a previous result from BABAR ([59]).

¶ LHCb also quotes results in bins of $m(\ell^+\ell^-)^2$.

Heavy FLavor AVeraging group (HFLAV) - May 2018

Compilation of CP Asymmetries for B^0 modes

Preliminary Updated results not included in PDG Live as of Dec. 31, 2017

| Mode | PDG2017 Avg. | BABAR | Belle | CDF | LHCb | Our Avg. |
|------------------------|---------------------------|---|---|-----------------------------------|---|----------------------------|
| $K^+\pi^-$ | -0.082 ± 0.006 † | $-0.107 \pm 0.016^{+0.006}_{-0.004}$ [60] | $-0.069 \pm 0.014 \pm 0.007$ [2] | $-0.083 \pm 0.013 \pm 0.004$ [61] | $-0.084 \pm 0.004 \pm 0.003$ [62] | -0.084 ± 0.004 |
| $\eta' K^*0$ | $-0.07 \pm 0.18 \pm 0.23$ | $0.02 \pm 0.23 \pm 0.02$ [8] | $-0.22 \pm 0.29 \pm 0.07$ [63] | | | -0.07 ± 0.18 |
| $\eta' K^0_0(1430)^0$ | -0.19 ± 0.17 | $-0.19 \pm 0.17 \pm 0.02$ [8] | | | | -0.19 ± 0.17 |
| $\eta' K^*_2(1430)^0$ | 0.14 ± 0.18 | $0.14 \pm 0.18 \pm 0.02$ [8] | | | | 0.14 ± 0.18 |
| ηK^*0 | 0.19 ± 0.05 | $0.21 \pm 0.06 \pm 0.02$ [10] | $0.17 \pm 0.08 \pm 0.01$ [11] | | | 0.19 ± 0.05 |
| $\eta K^0_0(1430)^0$ | 0.06 ± 0.13 | $0.06 \pm 0.13 \pm 0.02$ [10] | | | | 0.06 ± 0.13 |
| $\eta K^*_2(1430)^0$ | -0.07 ± 0.19 | $-0.07 \pm 0.19 \pm 0.02$ [10] | | | | -0.07 ± 0.19 |
| $b^+_s K^+$ | -0.07 ± 0.12 | $-0.07 \pm 0.12 \pm 0.02$ [25] | | | | -0.07 ± 0.12 |
| ωK^*0 | 0.45 ± 0.25 | $0.45 \pm 0.25 \pm 0.02$ [14] | | | | 0.45 ± 0.25 |
| $\omega K^0_0(1430)^0$ | -0.07 ± 0.09 | $-0.07 \pm 0.09 \pm 0.02$ [14] | | | | -0.07 ± 0.09 |
| $\omega K^*_2(1430)^0$ | -0.37 ± 0.17 | $-0.37 \pm 0.17 \pm 0.02$ [14] | | | | -0.37 ± 0.17 |
| $K^+\pi^-\pi^0$ | 0.00 ± 0.06 | $-0.030^{+0.045}_{-0.051} \pm 0.055$ [64] | $0.07 \pm 0.11 \pm 0.01$ [65] | | | $0.000^{+0.059}_{-0.061}$ |
| $\rho^- K^+$ | 0.20 ± 0.11 | $0.20 \pm 0.09 \pm 0.08$ [66] | $0.22^{+0.22+0.06}_{-0.23-0.02}$ [65] | | | 0.20 ± 0.11 |
| $\rho(1450)^- K^+$ | -0.10 ± 0.33 | $-0.10 \pm 0.32 \pm 0.09$ [66] | | | | -0.10 ± 0.33 |
| $\rho(1700)^- K^+$ | -0.36 ± 0.61 | $-0.36 \pm 0.57 \pm 0.23$ [66] | | | | -0.36 ± 0.61 |
| $K^+\pi^-\pi^0(NR)$ | 0.10 ± 0.18 | $0.10 \pm 0.16 \pm 0.08$ [66] | | | | 0.10 ± 0.18 |
| $K^0\pi^+\pi^-$ | -0.01 ± 0.05 | $-0.01 \pm 0.05 \pm 0.01$ [67] | | | | -0.01 ± 0.05 |
| $K^{*+}\pi^-$ | -0.22 ± 0.06 † | $-0.24 \pm 0.07 \pm 0.02$ ‡ [66] | $-0.21 \pm 0.11 \pm 0.07$ [68] | | $-0.308 \pm 0.060 \pm 0.011 \pm 0.012^1$ [69] | -0.271 ± 0.044 |
| $(K\pi)^0\pi^-$ | | | | | $-0.032 \pm 0.047 \pm 0.016 \pm 0.027^1$ [69] | -0.032 ± 0.057 |
| $K^*_2(1430)^+\pi^-$ | | | | | $-0.29 \pm 0.22 \pm 0.09 \pm 0.03^1$ [69] | -0.29 ± 0.24 |
| $K^*(1680)^+\pi^-$ | | | | | $-0.07 \pm 0.13 \pm 0.02 \pm 0.03^1$ [69] | -0.07 ± 0.14 |
| $f_0(980)K^*_s0$ | | | | | $0.28 \pm 0.27 \pm 0.05 \pm 0.14^1$ [69] | 0.28 ± 0.31 |
| $K^0_0(1430)^+\pi^-$ | 0.09 ± 0.07 | $0.09 \pm 0.07 \pm 0.03$ [67] | | | | 0.09 ± 0.08 |
| $K^0_0(1430)^0\pi^-$ | -0.15 ± 0.11 | $-0.15 \pm 0.10 \pm 0.04$ [66] | | | | -0.15 ± 0.11 |
| $K^{*0}\pi^0$ | -0.15 ± 0.13 | $-0.15 \pm 0.12 \pm 0.04$ [66] | | | | -0.15 ± 0.13 |
| $K^{*0}\pi^+\pi^-$ | 0.07 ± 0.05 | $0.07 \pm 0.04 \pm 0.03$ [70] | | | | 0.07 ± 0.05 |
| $K^{*0}\rho^0$ | -0.06 ± 0.09 | $-0.06 \pm 0.09 \pm 0.02$ [71] | | | | -0.06 ± 0.09 |
| $f_0(980)K^{*0}$ | 0.07 ± 0.10 | $0.07 \pm 0.10 \pm 0.02$ [71] | | | | 0.07 ± 0.10 |
| $K^{*+}\rho^-$ | 0.21 ± 0.15 | $0.21 \pm 0.15 \pm 0.02$ [71] | | | | 0.21 ± 0.15 |
| $K^{*0}K^+K^-$ | 0.01 ± 0.05 | $0.01 \pm 0.05 \pm 0.02$ [70] | | | | 0.01 ± 0.05 |
| $a^-_1 K^+$ | -0.16 ± 0.12 | $-0.16 \pm 0.12 \pm 0.01$ [22] | | | | -0.16 ± 0.12 |
| ϕK^*0 | 0.00 ± 0.04 | $0.01 \pm 0.06 \pm 0.03$ [72] | $-0.007 \pm 0.048 \pm 0.021$ [73] | | $-0.015 \pm 0.032 \pm 0.10$ ¶ [74] | -0.003 ± 0.038 |
| $K^{*0}\pi^+K^-$ | 0.22 ± 0.39 | $0.22 \pm 0.33 \pm 0.20$ [70] | | | | 0.22 ± 0.39 |
| $\phi K^0_0(1430)^0$ | 0.12 ± 0.08 | $0.20 \pm 0.14 \pm 0.06$ [72] | $0.093 \pm 0.094 \pm 0.017$ [73] | | | 0.124 ± 0.081 |
| $\phi K^*_2(1430)^0$ | -0.11 ± 0.10 | $-0.08 \pm 0.12 \pm 0.05$ [72] | $-0.155^{+0.152}_{-0.133} \pm 0.033$ [73] | | | $-0.113^{+0.102}_{-0.096}$ |
| $K^{*0}\gamma$ | -0.002 ± 0.015 | $-0.016 \pm 0.022 \pm 0.007$ [35] | $-0.013 \pm 0.017 \pm 0.004$ [36] | | $0.008 \pm 0.017 \pm 0.009$ [75] | -0.007 ± 0.011 |
| $\pi^0\pi^0$ | 0.43 ± 0.24 | $0.43 \pm 0.26 \pm 0.05$ [60] | $0.14 \pm 0.36 \pm 0.12$ [76] | | | 0.33 ± 0.22 |
| $a^{\mp}_1\pi^{\pm}$ | -0.07 ± 0.06 | $-0.07 \pm 0.07 \pm 0.02$ [25] | $-0.06 \pm 0.05 \pm 0.07$ [77] | | | -0.07 ± 0.06 |
| $b^{\mp}_1\pi^{\pm}$ | -0.05 ± 0.10 | $-0.05 \pm 0.10 \pm 0.02$ [25] | | | | -0.05 ± 0.10 |
| $p\bar{p}K^*0$ | 0.05 ± 0.12 | $0.11 \pm 0.13 \pm 0.06$ [49] | $-0.08 \pm 0.20 \pm 0.02$ [53] | | | 0.05 ± 0.12 |
| $p\bar{p}\pi^-$ | 0.04 ± 0.07 | $-0.10 \pm 0.10 \pm 0.02$ § [78] | $-0.02 \pm 0.10 \pm 0.03$ [54] | | | -0.06 ± 0.07 |
| $K^{*0}\ell\ell$ | -0.05 ± 0.10 | $0.02 \pm 0.20 \pm 0.02$ § [59] | $-0.08 \pm 0.12 \pm 0.02$ [56] | | | -0.05 ± 0.10 |
| $K^{*0}e^+e^-$ | -0.21 ± 0.19 | | $-0.21 \pm 0.19 \pm 0.02$ [56] | | | -0.21 ± 0.19 |
| $K^{*0}\mu^+\mu^-$ | -0.034 ± 0.024 | | $0.00 \pm 0.15 \pm 0.03$ [56] | | $-0.035 \pm 0.024 \pm 0.003$ ° [57] | -0.034 ± 0.024 |

Measurements of time-dependent CP asymmetries are listed in the Unitarity Triangle home page. (<http://www.slac.stanford.edu/xorg/hfag/triangle/index.html>)

† PDG uses also a result from CLEO.

‡ Average of BABAR results from $B^0 \rightarrow K^+\pi^-\pi^0$ and $B^0 \rightarrow K^0\pi^+\pi^-$.

§ PDG quotes the opposite asymmetry.

¶ Extracted from measured $\Delta A_{CP} = A_{CP}(\phi K^*0) - A_{CP}(J/\psi K^*0) = 0.015 \pm 0.032 \pm 0.005$.

° LHCb also quotes results in bins of $m(\ell^+\ell^-)^2$.

¹ Last error comes from the Dalitz plot model.

Heavy FLavor AVeraging group (HFLAV) - May 2018

Compilation of CP Asymmetries for B^\pm/B^0 Admixture

Preliminary Updated results not included in PDG Live as of Dec. 31, 2017

| Mode | PDG2017 Avg. | BABAR | Belle | Our Avg. |
|-----------------|---------------------------------|---|---|-------------------------|
| $K^*\gamma$ | -0.003 ± 0.017 [†] | $-0.003 \pm 0.017 \pm 0.007$ [35] | $-0.004 \pm 0.014 \pm 0.003$ [36] | -0.004 ± 0.011 |
| $s\gamma$ | 0.015 ± 0.020 | $0.017 \pm 0.019 \pm 0.010$ [‡] [79] | $0.002 \pm 0.050 \pm 0.030$ [80] | 0.015 ± 0.020 |
| $(s+d)\gamma$ | 0.010 ± 0.031 | $0.057 \pm 0.060 \pm 0.018$ [§] [81] | $0.022 \pm 0.039 \pm 0.009$ [◊] [13] | 0.032 ± 0.034 |
| $s\eta$ | $-0.13^{+0.04}_{-0.05}$ | | $-0.13 \pm 0.04^{+0.02}_{-0.03}$ [82] | $-0.13^{+0.04}_{-0.05}$ |
| π^+X | 0.10 ± 0.17 | $0.10 \pm 0.16 \pm 0.05$ [83] | | 0.10 ± 0.17 |
| $s\ell\ell$ | 0.04 ± 0.11 | $0.04 \pm 0.11 \pm 0.01$ [84] | | 0.04 ± 0.11 |
| $K^*e^+e^-$ | -0.18 ± 0.15 | | $-0.18 \pm 0.15 \pm 0.01$ [56] | -0.18 ± 0.15 |
| $K^*\mu^+\mu^-$ | -0.03 ± 0.13 | | $-0.03 \pm 0.13 \pm 0.02$ [56] | -0.03 ± 0.13 |
| $K\ell\ell$ | | $-0.03 \pm 0.14 \pm 0.01$ [55] | | -0.03 ± 0.14 |
| $K^*\ell\ell$ | -0.04 ± 0.07 | $0.03 \pm 0.13 \pm 0.01$ [¶] [55] | $-0.10 \pm 0.10 \pm 0.01$ [56] | -0.05 ± 0.08 |

[†] PDG includes also a result from CLEO.

[‡] BABAR also measures the difference in direct CP asymmetry for charged and neutral B mesons: $\Delta A_{CP} = +(5.0 \pm 3.9 \pm 1.5)\%$.

[§] There is another BABAR result using the recoil method (Phys. Rev. D 77, 051103), and a CLEO result (Phys. Rev. Lett. 86, 5661) that are used in the PDG average.

[¶] Previous BABAR result is also included in the PDG Average.

[◊] Requires $E_\gamma > 2.1$ GeV.

Heavy FLavor AVeraging group (HFLAV) - May 2018

Compilation of CP Asymmetries for B_s^0 mesons

Preliminary Updated results not included in PDG Live as of Dec. 31, 2017

| Mode | PDG2017 Avg. | CDF | LHCb | Our Avg. |
|------------|-----------------|-------------------------------|----------------------------------|-------------------|
| π^+K^- | 0.26 ± 0.04 | $0.22 \pm 0.07 \pm 0.02$ [61] | $0.213 \pm 0.015 \pm 0.007$ [62] | 0.213 ± 0.017 |

Heavy FLavor AVeraging group (HFLAV) - May 2018

Compilation of CP Asymmetries for Λ_b^0 baryons

Preliminary Updated results not included in PDG Live as of Dec. 31, 2017

| Mode | PDG2017 Avg. | CDF | LHCb | Our Avg. |
|--------------------|------------------|--------------------------------|----------------------------------|--------------------|
| $p\pi^-$ | 0.06 ± 0.08 | $0.06 \pm 0.07 \pm 0.03$ [61] | | 0.06 ± 0.08 |
| pK^- | -0.10 ± 0.09 | $-0.10 \pm 0.08 \pm 0.04$ [61] | | -0.10 ± 0.09 |
| $\bar{K}^0p\pi^-$ | 0.22 ± 0.13 | | $0.22 \pm 0.13 \pm 0.03$ [85] | 0.22 ± 0.13 |
| $\Lambda K^+\pi^-$ | -0.53 ± 0.25 | | $-0.53 \pm 0.23 \pm 0.11$ [86] | -0.53 ± 0.26 |
| ΛK^+K^- | -0.28 ± 0.12 | | $-0.28 \pm 0.10 \pm 0.07$ [86] | -0.28 ± 0.12 |
| $pK^-\mu^+\mu^-$ | | | $-0.035 \pm 0.05 \pm 0.002$ [87] | -0.035 ± 0.050 |

References

- [1] B. Aubert *et al.*, (*BABAR* collaboration), Phys. Rev. Lett. **97**, 171805, (2006), arXiv:hep-ex/0608036 [hep-ex].
- [2] Y. T. Duh *et al.*, (Belle collaboration), Phys. Rev. **D87**, 031103, (2013), arXiv:1210.1348 [hep-ex].
- [3] R. Aaij *et al.*, (LHCb collaboration), Phys. Lett. **B726**, 646, (2013), arXiv:1308.1277 [hep-ex].
- [4] B. Aubert *et al.*, (*BABAR* collaboration), Phys. Rev. **D76**, 091102, (2007), arXiv:0707.2798 [hep-ex].
- [5] B. Aubert *et al.*, (*BABAR* collaboration), Phys. Rev. **D80**, 112002, (2009), arXiv:0907.1743 [hep-ex].
- [6] J. Schumann *et al.*, (Belle collaboration), Phys. Rev. Lett. **97**, 061802, (2006), arXiv:hep-ex/0603001 [hep-ex].
- [7] R. Aaij *et al.*, (LHCb collaboration), Phys. Rev. Lett. **115**, 051801, (2015), arXiv:1503.07483 [hep-ex].
- [8] P. del Amo Sanchez *et al.*, (*BABAR* collaboration), Phys. Rev. **D82**, 011502, (2010), arXiv:1004.0240 [hep-ex].
- [9] C. T. Hoi *et al.*, (Belle collaboration), Phys. Rev. Lett. **108**, 031801, (2012), arXiv:1110.2000 [hep-ex].
- [10] B. Aubert *et al.*, (*BABAR* collaboration), Phys. Rev. Lett. **97**, 201802, (2006), arXiv:hep-ex/0608005 [hep-ex].
- [11] C. H. Wang *et al.*, (Belle collaboration), Phys. Rev. **D75**, 092005, (2007), arXiv:hep-ex/0701057 [hep-ex].
- [12] B. Aubert *et al.*, (*BABAR* collaboration), Phys. Rev. **D76**, 031103, (2007), arXiv:0706.3893 [hep-ex].
- [13] L. Pesántez *et al.*, (Belle collaboration), Phys. Rev. Lett. **114**, 151601, (2015), arXiv:1501.01702 [hep-ex].
- [14] B. Aubert *et al.*, (*BABAR* collaboration), Phys. Rev. **D79**, 052005, (2009), arXiv:0901.3703 [hep-ex].
- [15] B. Aubert *et al.*, (*BABAR* collaboration), Phys. Rev. **D78**, 012004, (2008), arXiv:0803.4451 [hep-ex].
- [16] A. Garmash *et al.*, (Belle collaboration), Phys. Rev. Lett. **96**, 251803, (2006), arXiv:hep-ex/0512066 [hep-ex].
- [17] J. P. Lees *et al.*, (*BABAR* collaboration), Phys. Rev. **D84**, 092007, (2011), arXiv:1109.0143 [hep-ex].
- [18] R. Aaij *et al.*, (LHCb collaboration), Phys. Rev. **D90**, 112004, (2014), arXiv:1408.5373 [hep-ex].

- [19] B. Aubert *et al.*, (*BABAR* collaboration), Phys. Rev. **D76**, 011103, (2007), arXiv:hep-ex/0702043 [hep-ex].
- [20] B. Aubert *et al.*, (*BABAR* collaboration), Phys. Rev. **D74**, 051104, (2006), arXiv:hep-ex/0607113 [hep-ex].
- [21] P. del Amo Sanchez *et al.*, (*BABAR* collaboration), Phys. Rev. **D83**, 051101, (2011), arXiv:1012.4044 [hep-ex].
- [22] B. Aubert *et al.*, (*BABAR* collaboration), Phys. Rev. Lett. **100**, 051803, (2008), arXiv:0709.4165 [hep-ex].
- [23] B. Aubert *et al.*, (*BABAR* collaboration), Phys. Rev. **D78**, 011104, (2008), arXiv:0805.1217 [hep-ex].
- [24] B. Aubert *et al.*, (*BABAR* collaboration), Phys. Rev. Lett. **97**, 201801, (2006), arXiv:hep-ex/0607057 [hep-ex].
- [25] B. Aubert *et al.*, (*BABAR* collaboration), Phys. Rev. Lett. **99**, 241803, (2007), arXiv:0707.4561 [hep-ex].
- [26] J. P. Lees *et al.*, (*BABAR* collaboration), Phys. Rev. **D85**, 112010, (2012), arXiv:1201.5897 [hep-ex].
- [27] B. Aubert *et al.*, (*BABAR* collaboration), Phys. Rev. Lett. **99**, 221801, (2007), arXiv:0708.0376 [hep-ex].
- [28] C. L. Hsu *et al.*, (*Belle* collaboration), Phys. Rev. **D96**, no. 3, 031101, (2017), arXiv:1705.02640 [hep-ex].
- [29] K. F. Chen *et al.*, (*Belle* collaboration), Phys. Rev. Lett. **91**, 201801, (2003), arXiv:hep-ex/0307014 [hep-ex].
- [30] D. Acosta *et al.*, (*CDF* collaboration), Phys. Rev. Lett. **95**, 031801, (2005), arXiv:hep-ex/0502044 [hep-ex].
- [31] B. Aubert *et al.*, (*BABAR* collaboration), Phys. Rev. Lett. **99**, 201802, (2007), arXiv:0705.1798 [hep-ex].
- [32] K. F. Chen *et al.*, (*Belle* collaboration), Phys. Rev. Lett. **94**, 221804, (2005), arXiv:hep-ex/0503013 [hep-ex].
- [33] B. Aubert *et al.*, (*BABAR* collaboration), Phys. Rev. Lett. **101**, 161801, (2008), arXiv:0806.4419 [hep-ex].
- [34] J. P. Lees *et al.*, (*BABAR* collaboration), Phys. Rev. **D84**, 012001, (2011), arXiv:1105.5159 [hep-ex].
- [35] B. Aubert *et al.*, (*BABAR* collaboration), Phys. Rev. Lett. **103**, 211802, (2009), arXiv:0906.2177 [hep-ex].
- [36] T. Horiguchi *et al.*, (*Belle* collaboration), Phys. Rev. Lett. **119**, no. 19, 191802, (2017), arXiv:1707.00394 [hep-ex].
- [37] B. Aubert *et al.*, (*BABAR* collaboration), Phys. Rev. **D79**, 011102, (2009), arXiv:0805.1317 [hep-ex].

- [38] S. Nishida *et al.*, (Belle collaboration), Phys. Lett. **B610**, 23, (2005), arXiv:hep-ex/0411065 [hep-ex].
- [39] B. Aubert *et al.*, (BABAR collaboration), Phys. Rev. **D75**, 051102, (2007), arXiv:hep-ex/0611037 [hep-ex].
- [40] H. Sahoo *et al.*, (Belle collaboration), Phys. Rev. **D84**, 071101, (2011), arXiv:1104.5590 [hep-ex].
- [41] N. Taniguchi *et al.*, (Belle collaboration), Phys. Rev. Lett. **101**, 111801, (2008), arXiv:0804.4770 [hep-ex], Erratum ibid. **101**, 129904, (2008).
- [42] B. Aubert *et al.*, (BABAR collaboration), Phys. Rev. **D79**, 072006, (2009), arXiv:0902.2051 [hep-ex].
- [43] B. Aubert *et al.*, (BABAR collaboration), Phys. Rev. **D75**, 091103, (2007), arXiv:hep-ex/0701035 [hep-ex].
- [44] J. Zhang *et al.*, (Belle collaboration), Phys. Rev. Lett. **94**, 031801, (2005), arXiv:hep-ex/0406006 [hep-ex].
- [45] B. Aubert *et al.*, (BABAR collaboration), Phys. Rev. Lett. **102**, 141802, (2009), arXiv:0901.3522 [hep-ex].
- [46] J. Zhang *et al.*, (Belle collaboration), Phys. Rev. Lett. **91**, 221801, (2003), arXiv:hep-ex/0306007 [hep-ex].
- [47] C. M. Jen *et al.*, (Belle collaboration), Phys. Rev. **D74**, 111101, (2006), arXiv:hep-ex/0609022 [hep-ex].
- [48] B. Aubert *et al.*, (BABAR collaboration), Phys. Rev. **D78**, 011107, (2008), arXiv:0804.2422 [hep-ex].
- [49] B. Aubert *et al.*, (BABAR collaboration), Phys. Rev. **D76**, 092004, (2007), arXiv:0707.1648 [hep-ex].
- [50] J. T. Wei *et al.*, (Belle collaboration), Phys. Lett. **B659**, 80, (2008), arXiv:0706.4167 [hep-ex].
- [51] R. Aaij *et al.*, (LHCb collaboration), Phys. Rev. Lett. **113**, 141801, (2014), arXiv:1407.5907 [hep-ex].
- [52] B. Aubert *et al.*, (BABAR collaboration), Phys. Rev. **D72**, 051101, (2005), arXiv:hep-ex/0507012 [hep-ex].
- [53] J. H. Chen *et al.*, (Belle collaboration), Phys. Rev. Lett. **100**, 251801, (2008), arXiv:0802.0336 [hep-ex].
- [54] M. Z. Wang *et al.*, (Belle collaboration), Phys. Rev. **D76**, 052004, (2007), arXiv:0704.2672 [hep-ex].
- [55] J. P. Lees *et al.*, (BABAR collaboration), Phys. Rev. **D86**, 032012, (2012), arXiv:1204.3933 [hep-ex].
- [56] J. T. Wei *et al.*, (Belle collaboration), Phys. Rev. Lett. **103**, 171801, (2009), arXiv:0904.0770 [hep-ex].

- [57] R. Aaij *et al.*, (LHCb collaboration), JHEP **09**, 177, (2014), arXiv:1408.0978 [hep-ex].
- [58] R. Aaij *et al.*, (LHCb collaboration), JHEP **10**, 034, (2015), arXiv:1509.00414 [hep-ex].
- [59] B. Aubert *et al.*, (BABAR collaboration), Phys. Rev. Lett. **102**, 091803, (2009), arXiv:0807.4119 [hep-ex].
- [60] J. P. Lees *et al.*, (BABAR collaboration), Phys. Rev. **D87**, 052009, (2013), arXiv:1206.3525 [hep-ex].
- [61] T. A. Aaltonen *et al.*, (CDF collaboration), Phys. Rev. Lett. **113**, 242001, (2014), arXiv:1403.5586 [hep-ex].
- [62] R. Aaij *et al.*, (LHCb collaboration), (2018), arXiv:1805.06759 [hep-ex].
- [63] S. Sato *et al.*, (Belle collaboration), Phys. Rev. **D90**, 072009, (2014), arXiv:1408.6343 [hep-ex].
- [64] B. Aubert *et al.*, (BABAR collaboration), Phys. Rev. **D78**, 052005, (2008), arXiv:0711.4417 [hep-ex].
- [65] P. Chang *et al.*, (Belle collaboration), Phys. Lett. **B599**, 148, (2004), arXiv:hep-ex/0406075 [hep-ex].
- [66] J. P. Lees *et al.*, (BABAR collaboration), Phys. Rev. **D83**, 112010, (2011), arXiv:1105.0125 [hep-ex].
- [67] B. Aubert *et al.*, (BABAR collaboration), Phys. Rev. **D80**, 112001, (2009), arXiv:0905.3615 [hep-ex].
- [68] J. Dalseno *et al.*, (Belle collaboration), Phys. Rev. **D79**, 072004, (2009), arXiv:0811.3665 [hep-ex].
- [69] R. Aaij *et al.*, (LHCb collaboration), Submitted to: Phys. Rev. Lett. , (2017), arXiv:1712.09320 [hep-ex].
- [70] B. Aubert *et al.*, (BABAR collaboration), Phys. Rev. **D76**, 071104, (2007), arXiv:0708.2543 [hep-ex].
- [71] J. P. Lees *et al.*, (BABAR collaboration), Phys. Rev. **D85**, 072005, (2012), arXiv:1112.3896 [hep-ex].
- [72] B. Aubert *et al.*, (BABAR collaboration), Phys. Rev. **D78**, 092008, (2008), arXiv:0808.3586 [hep-ex].
- [73] M. Prim *et al.*, (Belle collaboration), Phys. Rev. **D88**, 072004, (2013), arXiv:1308.1830 [hep-ex].
- [74] R. Aaij *et al.*, (LHCb collaboration), JHEP **05**, 069, (2014), arXiv:1403.2888 [hep-ex].
- [75] R. Aaij *et al.*, (LHCb collaboration), Nucl. Phys. **B867**, 1, (2013), arXiv:1209.0313 [hep-ex].
- [76] T. Julius *et al.*, (Belle collaboration), arXiv:1705.02083 [hep-ex], (2017).
- [77] J. Dalseno *et al.*, (Belle collaboration), Phys. Rev. **D86**, 092012, (2012), arXiv:1205.5957 [hep-ex].

- [78] B. Aubert *et al.*, (*BABAR* collaboration), Phys. Rev. **D79**, 112009, (2009), arXiv:0904.4724 [hep-ex].
- [79] J. P. Lees *et al.*, (*BABAR* collaboration), Phys. Rev. **D90**, 092001, (2014), arXiv:1406.0534 [hep-ex].
- [80] S. Nishida *et al.*, (Belle collaboration), Phys. Rev. Lett. **93**, 031803, (2004), arXiv:hep-ex/0308038 [hep-ex].
- [81] J. P. Lees *et al.*, (*BABAR* collaboration), Phys. Rev. Lett. **109**, 191801, (2012), arXiv:1207.2690 [hep-ex].
- [82] K. Nishimura *et al.*, (Belle collaboration), Phys. Rev. Lett. **105**, 191803, (2010), arXiv:0910.4751 [hep-ex].
- [83] P. del Amo Sanchez *et al.*, (*BABAR* collaboration), Phys. Rev. **D83**, 031103, (2011), arXiv:1012.5031 [hep-ex].
- [84] J. P. Lees *et al.*, (*BABAR* collaboration), Phys. Rev. Lett. **112**, 211802, (2014), arXiv:1312.5364 [hep-ex].
- [85] R. Aaij *et al.*, (LHCb collaboration), JHEP **04**, 087, (2014), arXiv:1402.0770 [hep-ex].
- [86] R. Aaij *et al.*, (LHCb collaboration), JHEP **05**, 081, (2016), arXiv:1603.00413 [hep-ex].
- [87] R. Aaij *et al.*, (LHCb collaboration), JHEP **06**, 108, (2017), arXiv:1703.00256 [hep-ex].