

CLEO (E_e)

$3.90 \pm 0.45 + 0.26 - 0.28$

BELLE sim. ann. (m_X^{χ} , q^2)

$4.46 \pm 0.47 + 0.20 - 0.22$

BELLE (E_e)

$4.85 \pm 0.45 + 0.21 - 0.25$

BABAR (E_e)

$4.34 \pm 0.25 + 0.23 - 0.25$

BABAR (E_e , s_h^{\max})

$4.17 \pm 0.20 + 0.28 - 0.29$

BELLE multivariate (p^*)

$4.63 \pm 0.28 \pm 0.13$

BABAR ($m_X < 1.55$)

$4.53 \pm 0.21 + 0.24 - 0.22$

BABAR ($m_X < 1.7$)

$4.26 \pm 0.24 + 0.26 - 0.24$

BABAR ($m_X < 1.7$, $q^2 > 8$)

$4.27 \pm 0.22 \pm 0.20$

BABAR ($P^+ < 0.66$)

$4.24 \pm 0.26 + 0.37 - 0.32$

BABAR (m_X , q^2 fit, $p^* > 1\text{GeV}$)

$4.46 \pm 0.24 \pm 0.13$

BABAR ($p^* > 1.3\text{GeV}$)

$4.44 \pm 0.27 + 0.15 - 0.14$

Average \pm exp + theory - theory


$4.52 \pm 0.16 + 0.15 - 0.16$

$\chi^2/\text{dof} = 9.5/11$ (CL = 58.00 %)

Andersen and Gardi (DGE)

JHEP 0601:097, 2006

E. Gardi arXiv:0806.4524



2 4 6
 $|V_{ub}| [\times 10^{-3}]$

HFAG
PDG14