

CLEO (E_e)

$$4.23 \pm 0.49 + 0.22 - 0.31$$

BELLE sim. ann. (m_X, q^2)

$$4.52 \pm 0.47 + 0.25 - 0.28$$

BELLE (E_e)

$$4.95 \pm 0.46 + 0.16 - 0.21$$

BABAR (E_e)

$$4.52 \pm 0.26 + 0.17 - 0.24$$

BELLE multivariate (p^*)

$$4.62 \pm 0.28 + 0.09 - 0.10$$

BABAR ($m_X < 1.55$)

$$4.30 \pm 0.20 + 0.20 - 0.21$$

BABAR ($m_X < 1.7$)

$$4.10 \pm 0.23 + 0.16 - 0.17$$

BABAR ($m_X < 1.7, q^2 > 8$)

$$4.33 \pm 0.23 + 0.24 - 0.27$$

BABAR ($P^+ < 0.66$)

$$4.25 \pm 0.26 + 0.26 - 0.27$$

BABAR (m_X, q^2 fit, $p^* > 1\text{GeV}$)

$$4.44 \pm 0.24 + 0.09 - 0.10$$

BABAR ($p^* > 1.3\text{GeV}$)


$$4.43 \pm 0.27 + 0.09 - 0.11$$

Average \pm exp + theory - theory

$$4.52 \pm 0.15 + 0.11 - 0.14$$

$\chi^2/\text{dof} = 9.2/10$ (CL = 51.00 %)

P. Gambino, P. Giordano, G. Ossola, N. Uraltsev
JHEP 0710:058,2007 (GGOU)



HFAG
Summer2016

2

4

6

$|V_{ub}|$ [$\times 10^{-3}$]